
FAUNISTIC RECORDS FROM THE CZECH REPUBLIC - 24

Coleoptera:

Dytiscidae

Hydroporus striola Gyllenhal, 1827. Moravia mer. or., Záhlinice - the Filena wetland (6770), 31.iii.1992, 2 ♂♂, 1 ♀, 21.v.1992, 1 ♂, in shallow pools among vegetation, D. Trávníček lgt. and det. (male genitalia examined), coll. Museum of southeastern Moravia, Zlín. A northern Palearctic species preferring acid water (Schaefflein & Wewalka 1982), known from Bohemia (Říha 1993) and mentioned from Moravia in older literature (Reitter 1870, Fleischer 1927 - 30). The records corroborates its occurrence in Moravia.

Laccophilus variegatus (Germar, 1812). Moravia mer., Šlapanice (6866), viii.1940, 1 spec., A. Černý lgt. and det., D. Trávníček revid., coll. Museum of southeastern Moravia, Zlín; Moravia mer. or., Kněžpole (6871) 2.viii.1993, 1 spec., in a pool connected with a dead branch of the Morava river among water vegetation, D. Trávníček lgt. and det., coll. Museum of southeastern Moravia, Zlín. The species occurs in southern and central Europe, in the Mediterranean region and western Asia (Schaefflein & Wewalka 1982). Occurrence in Moravia is dubious according to Říha (1993), but the species was already reported from surroundings of Přerov (Hudeček 1931). Occurrence confirmed in Moravia.

Hydaticus laevipennis C. G. Thomson, 1867. Moravia centr., Chomoutov (6369), 22.iv.1962, 1 ♀, J. Palásek lgt. and det. wrong as *H. stagnalis* (Fabricius, 1787), M. Boukal revid., coll. Department of Zoology, Palacký University in Olomouc. The species occurs in northern Europe (Burmeister 1939, Schaefflein 1971), known from Bohemia (Říha 1993). New species for Moravia.

Hydraenidae

Ochthebius (Enicocerus) gibbosus Germar, 1824. Moravia sept., the Beskydy Mts: Radhošť (6575) 9.vi.1943, 9 spec., A. Černý lgt. and det., D. Trávníček revid., coll. Museum of southeastern Moravia, Zlín; Moravia mer. or., Zlín (6771), 10.iv.1943, 1 spec., A. Černý lgt. and det., D. Trávníček revid., coll. Museum of southeastern Moravia, Zlín. Widely distributed in central Europe, according to Říha & Jelínek (1993) known from Bohemia and Slovakia but the species was also mentioned formerly from Moravia (Reitter 1870, Zoufal 1921). Correction of the Check-list and corroboration of its occurrence in Moravia.

Hydrochus flavipennis Küster, 1852. Moravia mer. or., Babice (6870), viii.1940, 2 spec., A. Černý lgt., D. Trávníček det., coll. Museum of southeastern Moravia, Zlín. The species occurs in southeastern Europe and northern Africa, in central Europe restricted to eastern Austria, the Czech Republic and Slovakia (Hebauer 1989), known from Bohemia and Slovakia (Říha & Jelínek 1993). New species for Moravia.

Hydrochus ignicollis Motschulsky, 1860. Moravia mer. or.: Babice (6870), iv.1940, 4 spec., A. Černý lgt., D. Trávníček det.; Huštěnovice (6870), 24.vii.1991, 1 ♂, 1 ♀, in shallows of a dead branch of the Morava river among water vegetation, D. Trávníček lgt. and det. (male genitalia examined); Otrokovice (6771), 22.vi.1993, 1 ♂, in a flooded depression on a meadow, D. Trávníček lgt. and det. (male genitalia examined); Bohemia mer., Horní Slatina: the Horní rybník pond (6959), 10.vii.1993, 3 ♂♂, 2 ♀♀, in shallows of the pond among water vegetation, D. Trávníček lgt. and det. (male genitalia examined). All specimens coll. Museum of southeastern Moravia, Zlín. It had been considered a synonymum to *H. elongatus* (Schaller, 1783), confirmed by Angus (1977) as a valid species which can be even more abundant than *H. elongatus* in central Europe (Hebauer 1989). Recently recorded from Slovakia (Kodada 1990). New species for the Czech Republic.

Hydrophilidae

Cercyon (Dicyrtocercyon) ustulatus (Preyssler, 1790). Moravia mer. or.: Zlín-Štípa (6772), 20.vii.1941, 1 spec., A. Černý lgt. and det., D. Trávníček revid.; Vizovice (6773), 2.vii.1944, 1 spec., A. Černý lgt. and det., D. Trávníček revid.; Otrokovice (6871), 2.vi.1992, 1 ♀, in the dead branch "Na letišti" near a sandy shore, D. Trávníček lgt. and det.; Doubravy (6872), 11.v.1993, 1 ♀, in a pool on a wet meadow, D. Trávníček lgt. and det. All specimens coll. Museum of southeastern Moravia, Zlín. According to Říha & Jelínek (1993) known from Bohemia and Slovakia, but this species was already mentioned formerly from Moravia (Klug 1855, Pichler 1885, Zoufal 1921). Correction of the Check-list and corroboration of its occurrence in Moravia.

Cercyon (Cercyon) convexusculus Stephens, 1829. Moravia mer. or.: Babice (6870), 6.iv.1941, 1 ♀, A. Černý lgt. and det., D. Trávníček revid.; Otrokovice (6771), 9.v.1993, 1 ♀, in a flooded depression on a meadow, D. Trávníček lgt. and det. Both specimens coll. Museum of southeastern Moravia, Zlín. The species is widely distributed in Europe and Siberia (Roubal 1930), in central Europe occurs with related *C. sternalis* Sharp, 1918 (Vogt 1968), known from Bohemia. New species for Moravia.

Cercyon (Cercyon) impressus (Sturm, 1807). Moravia mer. or., Slušovice (6772), v.1940, 4 spec., A. Černý lgt. and det., D. Trávníček revid., coll. Museum of southeastern Moravia, Zlín. Widely distributed in Europe, known from Bohemia and Slovakia (Říha & Jelínek 1993). New species for Moravia.

Cercyon (Cercyon) laminatus Sharp, 1873. Moravia mer. or., Jaroslavice (6772), 6.x.1992, 2 spec., 5.viii.1993, 1 spec., light-trapped, V. Elsner lgt., D. Trávníček det., coll. Museum of southeastern Moravia, Zlín. The species was described from Japan, recorded from Germany in 1957 and then rapidly expanded in central Europe (Vogt 1971). Known from Bohemia (Karas 1977) and Slovakia (Kodada 1990). New species for Moravia.

Cercyon (Cercyon) sternalis Sharp, 1918. Moravia mer. or.: Doubravy (6872), 12.v.1992, 1 ♂, in a pool on a wet meadow; Otrokovice (6771), 9.v.1993, 1 ♀, in a flooded depression on a meadow; Kněžpole (6871), 2.viii.1993, 1 ♂, in shallows of a dead branch of the Morava river; Záhlinice: the Filena wetland (6770), 25.vii.1993, 2 ♂♂, 2 ♀♀, in a pool among water vegetation. All specimens D. Trávníček lgt. and det. (male genitalia examined), coll. Museum of southeastern Moravia, Zlín. The species occurs together with related *C. convexusculus* Stephens, 1829 in central Europe (Vogt 1968). New species for the Czech Republic.

Cryptopleurum crenatum (Panzer, 1794). Moravia mer. or., Zlín (6771), 24.iv.1943, 1 spec., A. Černý lgt. and det., D. Trávníček revid., coll. Museum of southeastern Moravia, Zlín. Widely distributed in Europe but rare. According to Říha & Jelínek (1993) known from Bohemia and Slovakia, but this species was also mentioned formerly from Moravia (Kliment 1899). Correction of the Check-list and confirmation of its occurrence in Moravia.

Anacaena lutescens (Stephens, 1829). Bohemia or., Hrušová (6063), 1.xi.1991, 1 spec., 6.iii.1992, 1 spec., by netting in a drain on a meadow, M. Boukal lgt. and coll., D. Trávníček det.; Bohemia mer., Horní Slatina: the Horní rybník pond (6959), 15.v.1992, 2 spec., in shallows of the pond among water vegetation, D. Trávníček lgt. and det., coll. Museum of southeastern Moravia, Zlín. The species is distributed in the Palearctic region together with *A. limbata* (Fabricius, 1792), known from Moravia (Říha & Jelínek 1993). New species for Bohemia.

Enochrus (Enochrus) melanocephalus (Olivier, 1792). Moravia sept., Havířov-Suchá (6176), 2.vi.1991, 1 spec., in a small pool close by large flooded depression near a rubbish heap among water vegetation, P. Jeziorski lgt., D. Trávníček det., coll. M. Boukal; Moravia mer.or., Napajedla: the dead branch of the Morava river "Pahrбек" (6871), 19.v.1992, 1 spec., near a shore of the branch among water vegetation, D. Trávníček lgt. and det., coll. Museum of southeastern Moravia, Zlín; Moravia centr., Chomoutov (6369), 20.ix.1992, 1 spec., near a shore of a pool that was arisen by exploitation of sand, M. Boukal lgt., det. and coll. According to Říha & Jelínek (1993) known from Bohemia and Slovakia, but this species was also mentioned from Moravia (Müller 1863, Pichler 1885, Zoufal 1921). Correction of the Check-list, occurrence confirmed in Moravia.

Enochrus (Lumetus) ochropterus (Marsham, 1802). Bohemia mer., Horní Slatina: the Horní rybník pond (6959), 15.v.1992, 1 ♂, in shallows near a shore of the pond among water vegetation, D. Trávníček lgt. and det., coll. Museum of southeastern Moravia, Zlín. Distribution: Europe, in the south sporadically (Lohse 1971). According to Říha & Jelínek (1993) known from Moravia and Slovakia, but the species was also reported from Bohemia (Táborský 1981, 1993, Boháč & Karas 1988). Correction of the Check-list, corroboration of its occurrence in Bohemia.

Enochrus (Methydrus) coarctatus (Gredler, 1863). Moravia mer. or.: Kněžpole (6871), 17.iv.1993, 1 spec., in a pool connected with a dead branch of the Morava river; Záhlinice: the Filena wetland (6770), 25.vii.1993, 2 spec., 12.ix.1993, 2 spec., in shallow pools among water vegetation. All specimens D. Trávníček lgt. and det., coll. Museum of southeastern Moravia, Zlín. Distribution: central Europe, in the south-west and south only sporadically (Lohse 1971). According to the Check-list (Říha & Jelínek 1993), known from Bohemia and Slovakia but this species was also mentioned in older literature from Moravia (Kliment 1899). The first precise data from Moravia, occurrence confirmed in Moravia.

Chaetarthria seminulum (Herbst, 1797). Moravia mer. or., Zlín (6771), 28.vi.1947, 1 spec., A. Černý lgt. and det., D. Trávníček revid.; Otrokovice (6871), 2.vi.1992, 3 spec., washed out of a sandy shore of a dead branch of the Morava river, D. Trávníček lgt. and det. All specimens coll. Museum of southeastern Moravia, Zlín. The species abundantly occurs in the Palearctic region, according to the Check-list (Říha & Jelínek 1993) known from Bohemia and Slovakia, but was already mentioned from Moravia (Reitter 1870, Zoufal 1921). These findings confirm the occurrence of the species in Moravia.

Georissidae

Georissus crenulatus (Rossi, 1794). Moravia or., Valašské Klobouky (6874), in the 1930's without other data, 4 spec., A. Richter lgt. and det., D. Trávníček revid., coll. Museum of southeastern Moravia, Zlín. Widely distributed in Europe, according to the Check-list (Říha & Jelínek 1993) known from Bohemia and Slovakia, but this species was also mentioned from Moravia (Pichler 1885, Zoufal 1921). Another finding from Moravia, but recent specimens need to be obtained to confirm the occurrence in the region at present. Correction of the Check-list.

Silvanidae

Oryzaephilus mercator (Fauvel, 1889). Moravia mer. or., Hulín (6670), 1.i.1994, 1 spec., in a paper bag with citrus fruit, peanuts and dried figs, D. Trávníček lgt. and det., coll. Museum of southeastern Moravia, Zlín. A brought species with fruit, only synanthropic in the Czech Republic, known from Bohemia and Slovakia (Jelínek 1993). New species for Moravia.

ANGUS R. B. 1977: *Entomol. Mon. Mag.*, 112: 177-201. - BOHÁČ J. & KARAS V. 1988: *Sbor. Jihočes. Muz. v Čes. Budějovicích, Přír. Vědy*, 28: 11-17. - BURMEISTER F. 1939: *Biologie, Ökologie und Verbreitung der europäischen Käfer. I. Band: Adephaga*. Hans Goecke Verlag, Krefeld, 307 pp. - FLEISCHER A. 1927-30: *Přehled brouků fauny Československé republiky*. Mor. Mus. Zemské, Brno, 485 pp (in Czech). - HEBAUER F. 1989: *Hydrophiloidea (Palpicornia)*, pp. 72-92. In: LOHSE G. A. & LUCHT W. H. (eds.): *Die Käfer Mitteleuropas. Bd. 12. (I. Supplementband)*. Goecke & Evers, Krefeld, 346 pp. - HUDEČEK L. 1931: *Čas. Vlast. Spol. Mus. v Olomouci*, 44: 271-276. - JELÍNEK J. 1993: *Silvanidae*, pp. 98-99. In: JELÍNEK J. (ed.): *Check-list of Czechoslovak Insects IV (Coleoptera). Fol. Heyrovskyana, Suppl. 1*: 3-172 (in English and Czech). - KARAS V. 1977: *Zpr. Čs. Společ. Entomol. ČSAV*, 13: 25-29. - KLIMENT J. 1899: *Čeští brouci. Dílo o broucích Čech, Moravy a Slezska*. Nákl. vl., Německý Brod, xvi + 811 pp (in Czech). - KLUG P.E. 1855: *Erster Jber. über die k.k. Realschule zu Olmütz*: 6-18. - KODADA J. 1990: *Biológia (Bratislava)*, 45 (2): 157-158. - LOHSE G. A. 1971: *Hydrophilinae*, pp. 141-156. In: FREUDE H., HARDE K. W. & LOHSE G. A. (eds.): *Die Käfer Mitteleuropas. Bd. 3. Adephaga 2, Palpicornia, Histeroidea, Staphylinoidea I*. Goecke & Evers, Krefeld, 365 pp. - MÜLLER J. 1863: *Verh. Naturf. Ver. Brünn*, 1 (1862): 211-245. - PICHLER J. 1885: *Jber. Dtsch. Landes-Oberrealschule Prossnitz*: 1-16. - REITTER E. 1870: *Verh. Naturf. Ver. Brünn*, 8(2) (1869): i-vii + 1-195. - ROUBAL J. 1930: *Katalog Coleopter (brouků) Slovenska a Podkarpatska. Díl I. Uč. Společ. Šafaříkova v Bratislavě, Praha*, 527 pp (in Czech). - ŘÍHA P. 1993: *Dytiscidae*, pp. 23-25. In: JELÍNEK J. (ed.): *Check-list of Czechoslovak Insects IV (Coleoptera). Fol. Heyrovskyana, Suppl. 1*: 3-172 (in English and Czech). - ŘÍHA P. & JELÍNEK J. 1993: *Hydraenidae*, p. 26. *Ibid.* - ŘÍHA P. & JELÍNEK J. 1993: *Hydrophilidae*, pp. 27-28. *Ibid.* - ŘÍHA P. & JELÍNEK J. 1993: *Georissidae*, p. 28. *Ibid.* - SCHAEFLEIN H. 1971: *Dytiscidae*, pp. 16-89. In: FREUDE H., HARDE K. W. & LOHSE G. A. (eds.): *Die Käfer Mitteleuropas. Bd. 3. Adephaga 2, Palpicornia, Histeroidea, Staphylinoidea I*. Goecke & Evers, Krefeld, 365 pp. - SCHAEFLEIN H. & WEWALKA G. 1982: *Catalogus Faunae Austriae. Teil XV c: Coleoptera - Hygrobiidae, Haliplidae, Dytiscidae*. Verlag der Österreichischen Akademie der Wissenschaften, Wien, 27 pp. - TÁBORSKÝ I. 1981: *Sborn. Okres. Muz. v Mostě, Řada Přír.*, 3: 47-69. - TÁBORSKÝ I. 1993: *Sborn. Okres. Muz. v Mostě, Řada Přír.*, 13-14: 43-46. - VOGT H. 1968: *Entomol. Blätt.*, 64: 172-191. - VOGT H. 1971: *Sphaeridiinae*, pp. 127-140. In: FREUDE H., HARDE K. W. & LOHSE G. A. (eds.): *Die Käfer Mitteleuropas. Bd. 3. Adephaga 2, Palpicornia, Histeroidea, Staphylinoidea I*. Goecke & Evers, Krefeld, 365 pp. - ZOUFAL V. 1921: *Věst. Klubu Přír. v Prostějově*, 18 (1920-1921): 5-21.

Milan BOUKAL, Džbánov 122,
CZ-566 01 Vysoké Mýto, Czech Republic
Dušan TRÁVNÍČEK, Museum of southeastern Moravia, Soudní 1,
CZ-762 57 Zlín, Czech Republic