Klapalekiana **32**: 275-277, 1996
ISSN 1210-6100

FAUNISTIC RECORDS FROM THE CZECH REPUBLIC - 55

Coleoptera: Latridiidae

Stephostethus sinuatocollis (Faldermann, 1857) (= ***S. campicola*** Gerhard, 1911). Bohemia centr.: Veltrusy (5751/52), 6.v.1988, 2 spec., P. Míka leg., coll. et det., in mouldy, rotten hollow trunks of old trees in park; Moravia bor.: Dolní Lomná (6478), 3.vii.1993, 1 spec., P. Průdek leg. et coll., P. Míka det.; Moravia mer.: Jestřabice (6968), 25.vii.1993, 1 spec., P. Průdek leg., P. Míka det. et coll.; Bzenec - Přívoz (7069), 26.vi.1993, 1 spec., P. Průdek leg., P. Míka det. et coll.; Lanžhot (7267), 14.-22.v.1990, 1 spec., P. Zahradník leg., P. Míka and H.W. Rücker det., P. Míka coll., oak forest. The species described from Polish Silesia as *S. campicola,* distributed in Caucasus and Daghestan (Hetschko 1926), in central Europe known also from Saxony and Rhineland, from coniferous and mixed forest (Koch 1989). New species for the Czech Republic.

Dienerella clathrata (Mannerheim, 1844) (= ***D. separanda*** auct. non (Reitter, 1887)). Bohemia bor.: České Středohoří mts., Ovčín hill (5449/50), 1.viii.-26.ix.1994, 1 ♀, P. Moravec and J. Růžička leg., J. Růžička coll., P. Míka det., rock debris in forest, in trap with fish meat and rippen cheese; Bohemia occ.: Balkovy (6545), 6.ii.1982, 2 spec., O. Kapler leg., D. Boukal coll., P. Míka det.; Bohemia centr.: "Královská obora" (5852), 6.v.1914, 1 spec., Klička leg., L. Daněk coll., P. Míka det.; Petrov - Chlomek (6152), 8.v.1987, 1 spec., M. Barták and P. Míka leg., P. Míka coll. et det., in cellar on mouldy vegetables; Břístev (5757), 27.v.1985, 4 spec., P. Míka leg., det. et coll., in sawdust and cuttings of the oak stumps, 3.v.1986, 1 spec., P. Míka leg., det. et coll., in rotten hay and leaves under crib in oak forest; Moravia bor.: Moravičany (6267), 6.xi.1982, 2 spec., I. Jeniš leg. et coll., P. Míka det.; Moravia mer.: Ostrovačice (6764), 31.iii.1994, 8 spec., P. Čechovský leg. et coll., P. Míka det.; Pouzdřany (7065), 29.iii.1994, 20 spec., R. Fornůsek leg. et coll., P. Míka det.. Largely in broad leaved and mixed forests, often with *D. elongata* (Curtis, 1830), also synanthropic on mouldy or damp places. Species known from northern and central Europe, identified until recently as *D. separanda* (Reitter, 1887) (Rücker 1992). New species for the Czech Republic.

Corticaria linearis (Paykull, 1798). Moravia bor.: Praděd Mt. (5969), vii.1978, 1 ♂, 1 ♀, A. Pfeffer leg. et coll., P. Míka det. et coll.; Chuchelná (6074), 11.v.1994, 1 ♀, M. Knížek leg. et coll., P. Míka det., in spruce forest from barier trap; Moravia mer.: Lednice (71/7266), 24.iii.1994, 1 spec., P. Čechovský leg. et coll., P. Míka det.. Distribution: northern, western and central Europe, northern Italy, extending north-eastwards to Siberia, from the Czech Republic reported from Bohemia (Fleischer 1927-30, Jelínek 1993). New species for Moravia.

Corticaria polypori J. Sahlberg, 1900 (= ***C. eppelsheimi*** Reitter, 1886 nec Reitter, 1875). Moravia bor.: Bruntál (6070), 1 ♂, Kouřil leg., coll. Nat. Mus. Prague, P. Míka det.; Bohuslavice (6074), 26.xii.1994, 1 ♂, 1 ♀, M. Mantič leg. et coll., P. Míka det.; Moravia mer.: Zastávka (6864), 31.iii.1993, 1 ♂, P. Čechovský leg. et coll., P. Míka det., in rotten

stump and leaves; Bzenec (7069), 13.ii.1993, 2 ♂, 4 ♀, P. Čechovský leg. et coll., P. Míka coll. et det., mouldy bark of dry pine stump. The species distributed in coniferous and mixed forests of northern and central Europe. Recorded from Slovakia (Roubal 1936) and Bohemia (Fleischer 1927-30, Jelínek 1993). New species for Moravia.

Corticaria lateritia Mannerheim, 1844 (= ***C. eppelsheimi*** Reitter, 1875 nec Reitter, 1886). Bohemia centr.: Nové Strašecí (5849), v.1989, 1 ♀, K. Rébl leg. et coll., P. Míka det.; Bohemia occ.: "Böhmerwald", 1 ♂, Reitter leg., coll. Nat. Mus. Prague, P. Míka det.; Bohemia mer.: Šalmanovice (7154), vi.1978, 1 ♂, A. Pfeffer leg. et coll., P. Míka det.; Moravia mer.: Bzenec (7069), 13.ii.1993, 2 ♀, P. Čechovský leg. et coll., P. Míka det., mouldy bark of dry pine stump, 1.iii.1993, 6 ♂, 2 ♀, P. Čechovský leg. et coll., P. Míka coll. et det. The species known from Scandinavia, Germany and Hungary (Rücker 1992), eastwards to Russia and Siberia. From Austria reported by Koch (1989) largely from old or primeval forest, under dry bark of *Picea* sp. and *Pinus* sp. New species for the Czech Republic.

Corticaria bella Redtenbacher, 1849. Moravia mer.: Bohutice (7064), 8.viii.1993, 1 ♀, P. Průdek leg., P. Míka coll. et det.; Pouzdřany (7065), 29.iii.1994, 1 ♂, 1 ♀, R. Fornůsek leg. et coll., P. Míka det.; Lednice (71/7266), 15.ix.1991, 5 ♂, J. Vávra leg. et coll., P. Míka det.; Ladná (7167), 7.xi.1992, 1 spec., D. Hauck leg. et coll., P. Míka det.; Podivín (7167), 7.iv.1994, 1 ♂, P. Zahradník leg. et coll., P. Míka det., beating branchs in oak forest; Břeclav (7267), 9.v.1993, 1 ♂, P. Průdek leg. et coll., P. Míka det., beating trees. The species known from France, Switzerland, Germany, Poland and Austria (Horion 1961). In forests and parks on *Pinus* sp., *Quercus* sp., on dry branches (Koch 1989). Recorded from Slovakia (Fleischer 1927-30, Roubal 1936) and Bohemia (Lokaj 1868, Fleischer 1927-30, Jelínek 1993); from Moravia (Míka & Průdek 1996) without precise data. New species for Moravia.

Melanophthalma curticollis (Mannerheim, 1844). Bohemia mer.: Milevsko (6552), 24.vii.1988, 1♂, 1♀, P. Míka leg., det. et coll., clearing in pine and mixed forest near pond, on the vegetation, high grass, raspberry; 25.vii.1988, 1♂, 1♀, P. Míka leg., coll. et det., on cereal with weed, near forest; Tábor (6553/54), 16.vi.1909, 1 ♂, Rambousek leg., coll. Nat. Mus. Prague, P. Míka det.; Veselí nad Lužnicí (6854), 8.v.1952, 1 ♂, V. Karas leg. et coll., P. Míka det.; Moravia bor.: Bohuslavice (6074), 18.viii.1995, 1 ♂, 1♀, M. Mantič leg. et coll., P. Míka det.; Moravia mer.: Ostrovačice (6764), 6.ii.1994, 1 ♂, P. Čechovský leg. et coll., P. Míka det.; Bulhary (7166), 1.vi.1991, 2♂, 3 ♀, P. Průdek leg. et coll., P. Míka coll. et det., in the evening on vegetation; Pouzdřany (7065), 16.vi.1981, 1♂, V. Karas leg. et coll., P. Míka det. Widely distributed in Europe, extending north-eastwards to eastern Siberia and China, southeasternly to Asia Minor. According to Johnson (1986) were confused in Europe under the name *M. transversalis* two very similar, but distinct species: *M. curticollis* (Mannerheim, 1844) and *M. suturalis* (Mannerheim, 1844). New species for the Czech Republic.

Melanophthalma suturalis (Mannerheim, 1844). Moravia mer.: Pouzdřany (7065), 24.iv.1994, 1 ♀, J. Krátký leg. et coll., P. Míka det.; Bulhary (7166), 1.vi.1991, 4 ♂, 1 ♀, P. Průdek leg. et coll., P. Míka det. et coll., in the evening on vegetation; Podivín (7167), 4.vi.1988, 1 ♂, P. Zahradník leg. et coll., P. Míka det., 9.vi.1988, 1 ♂, P. Zahradník leg., P. Míka det. et coll., beaten down from the oak branch with mould. In the former Czechoslovakia misidentified until recently (together with *M. curticollis* (Mannerheim,

1844) and *M. maura* Motschulsky, 1866) as *M. transversalis* (Gyllenhal, 1827) (Johnson 1986, Rücker 1992). Captured mostly on vegetation, trees and shrubs on damp localities, also occurs in decaying plant debris. New species for the Czech Republic.

FLEISCHER A. 1927-30: *Přehled brouků fauny Československé republiky.* Mor. Mus. Zemské, Brno, 485 pp. - GERHARD J. 1911: *Jahresheft Ver. Schles. Insektenk.*, 4: 5-6. - HETSCHKO A. 1926: Lathridiidae, pp 1-86. In: JUNK W. (ed.): *Coleopterorum Catalogus, Pars 85.* Junk & Schenkling, Berlin, 86 pp. - HORION A. 1961: *Faunistik der Mitteleuropäischen Käfer, Band 8, Teil 2.* Genehmigter Nachdruck 1992, Antiquariat Goecke & Evers, xvi+375 pp. - JELÍNEK J. 1993: Latridiidae, pp 106-107. In: JELÍNEK J. (ed.): Check-list of Czechoslovak Insects 4 (Coleoptera). Seznam československých brouků. *Fol. Heyrovskyana, Suppl.* 1: 3-172. (In English and Czech). - JOHNSON C. 1986: *Entomologist's Gazette*, 37: 117-125. - KOCH K. 1989: *Die Käfer Mitteleuropas, Ökologie. Band* 2. Goecke & Evers, Krefeld, 382 pp. - LOKAJ E. 1869: Verzeichniss der Käfer Böhmens. *Arch. Naturw. Landesdurchforsch. Böhm. Sect. 4,* 1 (1868): 1-77. - MÍKA P. & PRŮDEK P. 1996: *Folia Fac. Sci. Nat. Univ. Masarykianae Brunensis, Biologia* 94: 515-519. - ROUBAL J. 1936: *Katalog Coleopter Slovenska a Podkarpatské Rusi, díl 2.* Uč. společ. Šafaříkova, Bratislava, 434 pp (in Czech). - RÜCKER W. H. 1992: Latridiidae, pp 139-160. In: LOHSE G. A. & LUCHT W. H. (eds.): *Die Käfer Mitteleuropas. Bd. 13. 2. Supplementband.* Goecke & Evers, Krefeld, 375 pp.

Pavel MÍKA, Fr. Křížka 38,
CZ-170 00 Praha 7, Czech Republic

Klapalekiana, **32**: 277, 1996
ISSN 1210-6100

FAUNISTIC RECORDS FROM THE CZECH REPUBLIC - 56

Lepidoptera: Nymphalidae

Brenthis daphne (Denis & Schiffermüller, 1775). Moravia mer., Radějov (7170), 6.vii.1995, 1 ♂, P. Potocký lgt., det. et coll., 1 ♀, J. Němý lgt., det. et coll. This species occurs in southern Europe. It was reported from eastern Slovakia by Moucha (1972). New species for the Czech Republic.

MOUCHA J. 1972: *Sbíráme motýly.* Práce, Praha, 110 pp.

Pavel POTOCKÝ, Nová 461, CZ-679 72 Kunštát, Czech Republic
Jaroslav NĚMÝ, Kamínky 7, CZ-625 00 Brno, Czech Republic