Published June 30, 2006

Klapalekiana, **42**: 189-192, 2006
ISSN 1210-6100

FAUNISTIC RECORDS FROM THE CZECH REPUBLIC – 204

Coleoptera

Staphylinidae: Tachyporinae

Ischnosoma longicornis Mäklin, 1847. Moravia centr., Prostějov (6568), [without date], 2 spec., B. Kouřil leg. and det., M. Kocian revid., coll. National Museum, Praha; Moravia bor. or., Moravskoslezské Beskydy mts., Staré Hamry env., Velký potok brook (6576), 28.v.1998, 1 spec., J. Vávra leg. and coll., P. Štourač det.; Moravia mer., Střelice (6864-65), [without date], 1 spec., Dr. Fleischer leg., M. Kocian det., coll. National Museum, Praha. Holarctic species, distributed in temperate areas, approximately north of the 40th parallel. In the western Palaearctic region widely distributed in central and northern Europe to Caucasus. In central Europe reported from Switzerland, Germany, Poland, Austria, Hungary and Slovakia (Burakowski et al. 1980, Kocian 1997, 2003). In the Czech Republic recorded from Bohemia by Roubal (1934) and Smetana (1964). New species for Moravia.

Staphylinidae: Aleocharinae

Dinarda hagensii Wasmann, 1889. Moravia mer., Znojmo env., Hradiště (7162), 15.iii.1997, 1 spec.; ditto, 22.iv.1999, 4 spec.; ditto, 25.iii.2003, 1 spec.; all specimens collected in a thermophilous oak forest under a stone in the nest of *Formica gagates* Latreille, 1798 (P. Bezděčka det.), all Z. Kraus leg., J. Vávra det., coll. Z. Kraus (Mikulovice u Znojma) and J. Vávra. European species known from Great Britain, France, Belgium, Germany, Denmark, Finland, Norway, Sweden, Latvia, north of European part of Russia, Slovakia and Austria (Smetana 2004), and also from Transcarpathian Ukraine (Roubal 1930). From the Czech Republic reported from Bohemia by Likovský (1993). New species for Moravia.

Eucinetidae

Eucinetus hopffgarteni Reitter, 1885. Moravia bor. or., Moravskoslezské Beskydy mts., Mionší National Nature Reserve (6478), 7.viii.2003, 2 spec. at night on an old trunk of *Abies alba*, J. Vávra leg., det. and coll. Described from Romania, with very few records known only from Poland, Slovakia, Hungary, Italy and Bosnia Herzegovina (Burakowski et al. 2000). New species for the Czech Republic.

Eucnemidae

Hylis cariniceps (Reitter, 1902). Moravia mer., Břeclav env., Pohansko (7267), 30.vi.2001, 1 ♀, R. Fornůsek (Olomouc) leg. and coll., J. Vávra det. European species, reported from England, Sweden, Finland, the Netherlands, Germany, France, Switzerland, Austria, Slovakia,

Hungary, Slovenia, Croatia, Dalmatia and Greece (Lucht 1976, Burakowski & Buchholz 1991, Lohaj 1993, Lucht & Merkl 1993). In the Czech Republic recorded from Bohemia by Lucht (1976). New species for Moravia.

Rhacopus attenuatus (Mäklin, 1845). Moravia mer., Nové Mlýny env., Křivé jezero National Nature Reserve (7166), 27.v.2000, 3 ♀♀ on a trunk of *Populus* sp., P. Čížek & R. Fornůsek leg., J. Vávra det., coll. P. Čížek (Žamberk), R. Fornůsek and J. Vávra. Sporadic records known only from southern Finland, north-western Russia (Karelia), Poland, Austria, Hungary, Croatia and Romania (Burakowski et al. 1985, Burakowski 1991, Lucht & Merkl 1993). New species for the Czech Republic.

Microrhagus lepidus Rosenhauer, 1847. Bohemia centr., Dlouhopolsko env., Žehuňská obora National Nature Reserve (5857), 15.vi.2004, 1 ♀ beaten from branches of *Quercus* sp., M. Mikát (Hradec Králové) leg. et det., coll. Regional Museum of Eastern Bohemia, Hradec Králové; Bohemia or., Česká Skalice env., Dubno Nature Reserve (5562), 25.v.2000, 1 ♀ before afternoon storm on an old trunk of *Quercus* sp.; Bohemia or., Česká Skalice env., Babiččino údolí National Nature Monument (5562), 19.vi.2005, 1 ♀ beaten in early evening from branches of deciduous trees (*Quercus* sp., *Carpinus betulus*, *Fraxinus excelsior*, *Tilia* sp., *Ulmus* sp.); ditto, 23.vi.2005, 1 ♀ beaten from branches of *Alnus* sp., both specimens M. Mikát leg., det. and coll.; Bohemia bor. or., Nové Město nad Metují env., Peklo Nature Reserve (5663), 9.vi.2003, 1 ♀, J. Mertlik (Hradec Králové) leg., det. and coll., J. Vávra revid. European species, known from the Pyrenees to the European part of Russia (Burakowski et al. 1985). In central Europe recorded from Germany, Austria, Poland, Slovakia and Hungary (Olexa 1950, Horion 1953, Burakowski 1991, Lucht & Merkl 1993). In the Czech Republic reported from Moravia by Gerhardt (1910). New species for Bohemia.

Dermestidae

Anthrenocerus australis (Hope, 1843). Moravia bor., Frýdek-Místek (6375), vi.2004, 1 spec. on a window in a new building, K. Orszulik leg., J. Vávra det. and coll. Known from Australia, New Zealand, Tasmania and Papua New Guinea (Mroczkowski 1968, Háva 2003). As an introduced species reported from Great Britain, France, the Netherlands and Germany (Mroczkowski 1968, Lucht 1998, Bourel et al. 2000). Damaging cloths (Peacock 1993), also on a human cadaver (Bourel et al. 2000). New species for the Czech Republic.

Melandryidae

Phloiotrya vaudoueri Mulsant, 1856. Moravia mer. or., Chřiby mts., Holý kopec Nature Reserve (6869), 23.viii.1997, 1 spec., P. Jáchymek (Luhačovice) leg. and coll.; Moravia mer., Pouzdřany (7065), 3.iv.1998 (larvae), 2 adults reared from a trunk of *Carpinus betulus*, P. Jáchymek leg., coll. P. Jáchymek and M. Zýka (Olomouc). All specimens J. Vávra det. Known from western, southern and central Europe and south-eastern part of central Europe (Romania) (Horion 1956), introduced also into North America (LeSage 1991). In central Europe reported from Germany, Austria, Hungary, Slovakia and Transcarpathian Ukraine (Roubal 1936, Horion 1956, Holzer 1998). In the Czech Republic recorded from Bohemia by Reitter (1911) without detailed data; the first exact record from southern Bohemia was published by Karas & Kletečka (2002). New species for Moravia.

ACKNOWLEDGEMENTS. I would like to thank P. Bezděčka (Uherské Hradiště), P. Čížek (Žamberk), R. Fornůsek (Olomouc), J. Hájek (Praha), P. Jáchymek (Luhačovice), V. Kabourek (Zlín), M. Kocian (Praha), Z. Kraus (Mikulovice u Znojma), J. Mertlik (Hradec Králové), M. Mikát (Hradec Králové), K. Orszulik (Frýdek-Místek), P. Štourač (Praha), V. Švihla (Praha) and M. Zýka (Olomouc) for various information and the possibility to study their material.

BOUREL B., HUBERT N., HÉDOUIN V. & GOSSET D. 2000: Entomologie médico-légale appliquée à un cas de momification. *Annales Soc. Entomol. France (N. S.)*, 36: 287-290. – BURAKOWSKI B. 1991: *Klucze do oznaczania owadów Polski. Cz. 19. Chrząszcze – Coleoptera. Zesz. 35-37. Cerophytidae, Eucnemidae, Throscidae, Lissomidae*. PTE, Wrocław, 91 pp (in Polish). – BURAKOWSKI B., MROCZKOWSKI M. & STEFAŃSKA J. 1980: *Katalog fauny Polski. Catalogus faunae Poloniae. Cz. 23, t. 7. Chrząszcze – Coleoptera, Kusakowate – Staphylininae 2*. PWN, Warszawa, 272 pp (in Polish). – BURAKOWSKI B., MROCZKOWSKI M. & STEFAŃSKA J. 1985: *Katalog fauny Polski. Catalogus faunae Poloniae. Cz. 23, t. 10. Chrząszcze – Coleoptera: Buprestoidea, Elateroidea i Cantharoidea*. PWN, Warszawa, 401 pp (in Polish). – BURAKOWSKI B., MROCZKOWSKI M. & STEFAŃSKA J. 2000: *Katalog fauny Polski. Catalogus faunae Poloniae. Cz. 23, t. 22. Chrząszcze – Coleoptera. Uzupełnienia tomów 2-21*. Muzeum i Instytut zoologii PAN, Warszawa, 252 pp (in Polish). – GERHARDT J. 1910: *Verzeichnis der Käfer Schlesiens*. Julius Springer, Berlin, i-xvi+431 pp. – HÁVA J. 2003: World catalogue of the Dermestidae (Coleoptera). *Studie a Zprávy Oblastního Muzea Praha-východ v Brandýse nad Labem – Staré Boleslavi*, Suppl. 1: 1-196. – HOLZER E. 1998: Erstnachweise und Wiederfunde für die Käferfauna der Steiermark - 3 (Coleoptera). *Mitt. Landesmus. Joanneum, Zool.*, 51: 35-48. – HORION A. 1953: *Faunistik der mitteleuropäischen Käfer. Bd. 3. Malacodermata, Sternoxia (Elateridae bis Throscidae)*. Eigenverlag, München, xviii+340 pp. – HORION A. 1956: *Faunistik der mitteleuropäischen Käfer. Bd. 5. Heteromera*. G. Frey, Tutzing bei München, xv+336 pp. – KARAS V. & KLETEČKA Z. 2002: Nálezy vzácných a nových druhů brouků (Coleoptera) pro faunu jižních Čech. (Records of rare and new beetle species (Coleoptera) from the fauna of South Bohemia). *Sborn. Jihočes. Muz. v Čes. Budějovicích, Přír. Vědy*, 42: 89-98 (in Czech, English summary). – KOCIAN M. 1997: A revision of western palearctic species of the genus Ischnosoma Stephens (Coleoptera, Staphylinidae: Tachyporinae). *Acta Universitatis Carolinae, Biologica*, 40 (1996): 241-299. – KOCIAN M. 2003: Monograph of the world species of the genus Ischnosoma (Coleoptera: Staphylinidae). *Acta Universitatis Carolinae, Biologica*, 47: 3-153. – LeSAGE L. 1991: Family Melandryidae – false darkling beetles, pp. 245-248. In: BOUSQUET Y. (ed.): *Checklist of beetles of Canada and Alaska*. Research Branch Agriculture Canada, Ottawa, vi+430 pp. – LIKOVSKÝ Z. 1993: Staphylinidae: Aleocharinae, pp. 52-62. In: JELÍNEK J. (ed.): Check-list of Czechoslovak Insects 4 (Coleoptera). Seznam československých brouků. *Fol. Heyrovskyana*, Suppl. 1: 3-172 (in English and Czech). – LOHAJ R. 1993: Nálezy vzácnejších druhov Coleopter zo skupiny čeľadí Sternoxia z územia Slovenska. *Správy Slov. Entomol. Spoloč. SAV*, 5: 49-53 (in Slovak). – LUCHT W. 1976: Revision mitteleuropäischer Hypocoelus-Funde (Col., Eucnemidae). *Entomol. Blätter*, 72: 129-165. – LUCHT W. 1998: 45. Familie: Dermestidae, p. 238. In: LUCHT W. & KLAUSNITZER B. (eds): *Die Käfer Mitteleuropas. 4. Supplementband*. Goecke & Evers, Krefeld, 398 pp. – LUCHT W. & MERKL O. 1993: *Magyarország állatvilága – Fauna Hungariae 168. VIII. kötet. 4. füzet. Coleoptera III. Különböző csápú bogarak II. – Diversicornia II. Álpattanóbogarak, Tövisnyakú bogarak, Merevbogarak – Cerophytidae, Eucnemidae, Throscidae*. Akadémiai Kiadó, Budapest, 36 pp (in Hungarian). – MROCZKOWSKI M. 1968: Distribution of the Dermestidae (Coleoptera) of the world with a catalogue of all known species. *Annales Zoologici*, 26 (3): 15-191. – OLEXA A. 1950: Vzácnější druhy brouků z východního Slovenska. (Quelques espèces de Coléoptères rares de la Slovaquie orientale). *Časopis Čs. Společ. Entomol.*, 47: 52-57 (in Czech, French summary). – PEACOCK E. R. 1993: *Adults and larvae of hide, larder and carpet beetles and their relatives (Coleoptera: Dermestidae) and of Derodontid beetles (Coleoptera: Derodontidae). Handbooks for the identification of British insects. Vol. 5, p. 3*. Royal Entomological Society of London, London, 144 pp. – REITTER E. 1911: *Fauna Germanica. Die Käfer des Deutschen Reiches. III. Band*. K. G. Lutz, Stuttgart, 436 pp. – ROUBAL J. 1930: *Katalog Coleopter (brouků) Slovenska a Podkarpatska (Catalogue des Coléoptères de la Slovaquie et de la Russie subcarpathique). Sv. 3*. Uč. Společ. Šafaříkova v Bratislavě, Praha, 527 pp (in Czech, French title). – ROUBAL J. 1934: Die Coleopterenwelt (Tyrphobionte, Tyrphophile, Tyrphoxene etc.) der Treboner (Wittingauer) Moore. (Ein Beitrag zur Kenntnis der Coleopterenfauna Südböhmens). *Fol. Zool. Hydrobiol.* (Riga), 7: 56-97. – SMETANA A. 1964: Die Staphylinidenfauna des Moores Hájek (Soos) in Westböhmen (Col., Staphylinidae). (60. Beitrag zur Kenntnis der Staphyliniden). *Acta*

Faun. Entomol. Mus. Nat. Pragae, 10 (91): 41-123. – SMETANA A. 2004: Staphylinidae: Aleocharinae, pp. 353-494. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera. Vol. 2. Hydrophiloidea – Histeroidea – Staphylinoidea*. Apollo Books, Stenstrup, 942 pp.

Jiří Ch. VÁVRA, Ostrava Museum, Masarykovo náměstí 1, CZ-702 00 Ostrava 1, Czech Republic; e-mail: jiri.vavra@ostrmuz.cz