Published September 15, 2008 Klapalekiana, **44**: 63-69, 2008
ISSN 1210-6100

FAUNISTIC RECORDS FROM THE CZECH REPUBLIC – 246

Hymenoptera: Symphyta:

Argidae

Sterictiphora longicornis Chevin, 1982. Bohemia or.: Železné hory Protected Landscape Area [abbreviated as PLA], Lichnice (6159), 27.v.2000, 1 spec., F. Bárta lgt.; Báň Nature Reserve [abbreviated as NR] (5857), 4.-17.v.2004, Malaise trap [abbreviated as MT], 1 spec., J. Macek lgt.; Bohemia bor.: České Švýcarsko National Park [abbreviated as NP], Mlýny hill (5152), 16.v.2007, MT, 1 spec., J. Macek lgt.; Brtníky env., Brtnický potok brook (5052), 16.v.2007, MT, 1 spec., J. Macek lgt.; Bohemia centr.: Český kras PLA: Hostim env., Kačák brook (6050), 26.iv.2007, MT, 2 spec., J. Macek lgt.; Koda National Nature Reserve [abbreviated as NNR] (6050), 26.iv.2007, MT, 1 spec., 19.v.2007, 1 spec., all J. Macek lgt.; Karlštejn NNR, Doutnáč hill (6050), 26.iv.2007, MT, 3 spec., 19.v.2007, 1 spec., all J. Macek lgt.; Moravia mer.: Bílé Karpaty PLA: Ploštiny NR (6874), 11.v.2006, MT, 2 spec., J. Macek lgt.; Čertoryje NNR (7170), 9.v.2006, MT, 1 spec., J. Macek lgt.; Hutě NR (7073), 9.v.2007, MT, 2 spec., J. Macek lgt.; Machová NR (7171), 8.v.2007, MT, 2 spec., J. Macek lgt.; all records J. Macek det., coll. National Museum, Praha [abbreviated as NMPC]. Formerly included in the aggregate taxon *Sterictiphora geminata* (Gmelin, 1790) and established as a valid species by Chevin (1982). Distributed in Belgium, France, Germany, Italy, Serbia, Slovakia, and Switzerland (Taeger et al. 2006). New species for the Czech Republic.

Cimbicidae

Trichiosoma sorbi Hartig, 1840. Moravia bor.: Beskydy PLA, Prostřední Bečva, Kněhyně hill (6575), 18.vi.1986, 1 spec., H. Studničková lgt., J. Macek det., coll NMPC. Distributed in Central, North and East Europe (Taeger et al. 2006); in the Czech Republic known only from Bohemia (Beneš 1989). New species for Moravia.

Tenthredinidae
Selandriinae

Brachythops wuestneii (Konow, 1885). Bohemia bor.: Jizerské hory PLA, Rašeliniště Jizery NR (5158), 5.vi.-17.vi.2002, MT, 2 spec., J. Preisler lgt., J. Macek det., coll. NMPC. Distributed in Austria, Belarus, Bulgaria, Germany, Finland, France, England, Netherlands, Poland, Sweden, and Ukraine (Taeger et al. 2006). New species for the Czech Republic.

Dolerus brevicornis Zaddach, 1859. Bohemia bor.: Jizerské hory PLA, Rašeliniště Jizery NR (5158), 30.iv.-17.v.2002, yellow pan traps [abbreviated as YPT], 1 spec., J. Preisler lgt.; Jizerské hory PLA, Nová louka peat bog (5158), 30.iv.-12.v.2002, YPT, 1 spec., J. Preisler lgt.; Bohemia occ.: Staré Sedlo (5842), 26.iv.2007, MT, 1 spec., J. Macek lgt.; Vřesová env. (5742), Černý potok brook, 2.vi.2005, MT, 1 spec., J. Macek lgt.; Bohemia or.: Orlické hory

PLA, Zvonkové údolí valley (6457), 20.v.2003, MT, 1 spec., J. Hájek lgt.; Moravia mer., Bílé Karpaty PLA, Čertoryje NNR (7170), 9.v.2006, MT, 1 spec., J. Macek lgt.; all records J. Macek det., coll. NMPC. Distributed in Austria, Germany, Estonia, Finland, France, Norway, European Russia, and Sweden (Taeger et al. 2006). New species for the Czech Republic.

Dolerus genucinctus Zaddach, 1859. Bohemia occ.: Kaceřov (5841), 29.vi.2006, MT, 1 spec., J. Macek lgt.; Vřesová, Vřesový potok brook (5742), 10.vi.2004, MT, 1 spec., J. Macek lgt.; Horní Rozmyšl (5741), 22.vii.2004, MT, 1 spec., J. Macek lgt.; Bohemia or., Železné hory PLA, Maleč (6260), 6.vii.2006, MT, 1 spec., F. Bárta lgt.; Bohemia bor.: Jizerské hory PLA, Smrk Mt., Ztracený potok brook (5157), 20.vi.-30.vii.2006, MT, 1 spec., J. Preisler lgt.; České Švýcarsko NP, Pryskyřičný důl gorge (5052), 22.v.2006, MT, 1 spec., M. Trýzna lgt.; České Švýcarsko NP, Doubice, Doubický potok brook (5052), 13.vi.2005, MT, 1 spec., P. Chvojka lgt.; all records J. Macek det., coll. NMPC. Distributed in Austria, Denmark, Estonia, Germany, Italy, Latvia, Norway, Poland, European Russia, Slovakia, Sweden, Switzerland, and Ukraine (Taeger et al. 2006); in the Czech Republic known only from Moravia (Beneš 1989). New species for Bohemia.

Dolerus gibbosus Hartig, 1837. Bohemia or., Železné hory PLA, Vápenice NR (6160), 8.v.2002, MT, 1 spec., F. Bárta lgt., J. Macek det., coll. NMPC. Distributed in Austria, Belarus, Denmark, Germany, Italy, Latvia, Norway, and Poland (Taeger et al. 2006). New species for the Czech Republic.

Dolerus gilvipes (Klug 1818). Bohemia centr.: Český kras PLA, Doutnáč hill (6050), 31.v.2007, MT, 1 spec., J. Macek lgt.; Křivoklátsko PLA, Vůznice brook (5949), 23.v.-14.vi.1994, MT, 1 spec., J.Macek lgt.; Příbram env., Lazec (6349), 15.v.2005, 1 spec, J. Macek lgt.; Bohemia or., Železné hory PLA, Maleč env., Svatomariánské údolí valley (6260), 4.vi.2006, MT, 1 spec., F. Bárta lgt.; all records J. Macek det., coll. NMPC. Distributed in Austria, Denmark, Estonia, Finland, France, Germany, England, Norway, European Russia, and Switzerland (Taeger et al. 2006). New species for the Czech Republic.

Dolerus harwoodi Benson, 1947. Moravia mer., Bílé Karpaty PLA, Machová NR (7171), 1 spec., 8.v.2007, MT, 1 spec., J. Macek lgt. et det., coll. NMPC. Distributed in Austria, Estonia, Finland, France, Germany, England, European Russia, Sweden, Switzerland, Slovakia, and Ukraine (Taeger et al. 2006); in the Czech Republic known only from Bohemia (Beneš 1989). New species for Moravia.

Dolerus liogaster schneideri Kiaer, 1898. Bohemia or.: Orlické hory PLA, Černý důl NR (6457), 9.vi.1995, MT, 1 spec., J. Macek lgt.; Králický Sněžník NR, prameny Moravy springs (6658), 17.vi.2003, MT, P. Chvojka lgt.; same locality, 24.vi.2004, MT, 1 spec., J. Ježek & J. Skuhrovec lgt.; Bohemia bor.: Jizerské hory PLA, Jizerka, Pralouka NR (5158), 8.-15.vi.2003, MT, 2 spec., A. Vonička lgt.; Jizerské hory PLA, Rašeliniště Jizery NR (5157), 5.-17.v.2003, MT, 1 spec., A. Vonička lgt.; all records J. Macek det., coll. NMPC. The nominotypical subspecies is widely distributed at lower altitudes, the boreoalpine subspecies *D. l. schneideri* occurs only in the mountains. In Europe known from Finland, Norway, and European Russia (Taeger et al. 2006). New subspecies for the Czech Republic.

Tenthredininae

Aglaostigma discolor (Klug, 1817). Moravia mer., Bílé Karpaty PLA, Vápenky (7171), 21.ix.2005, larvae on *Petasites*, J. Macek lgt. et det., coll. NMPC. Distributed in Austria,

Belgium, Croatia, Denmark, France, Germany, Italy, Slovakia, Slovenia, Switzerland, and Ukraine (Taeger et al. 2006); in the Czech Republic known only from Bohemia (Beneš 1989). New species for Moravia.

Macrophya parvula Konow, 1884. Moravia mer., Bílé Karpaty PLA: Čertoryje NNR (7170), 29.v.2006, 1 spec.; Machová NR (7171), 28.v.2007, 2 spec.; same locality, 8.v.2007, 2 spec.; all records J. Macek lgt. et det., coll. NMPC. Distributed in France and Germany (Taeger et al. 2006). New species for the Czech Republic.

Macrophya postica (Brullé, 1832). Moravia mer., Hádecká planinka NNR (6766), 9.vi.2007, 1 spec., J. Macek lgt. et det., coll. NMPC. Distributed in Albania, Bulgaria, Croatia, Greece, Hungary, Italy, Macedonia, Romania, Serbia, Slovakia, and Ukraine (Taeger et al. 2006). New species for the Czech Republic.

Rhogogaster chlorosoma Benson, 1943. Moravia mer.: Vranovice-Pouzdřany (7065), 1.v.1936, 1 spec.; same locality, 17.v.1936, 1 spec., A. Hoffer lgt.; Pouzdřany (7065), 31.v.1956, 1 spec., Z. Bouček lgt.; all records J. Macek det., coll. NMPC. Distributed in Austria, Belgium, Bulgaria, Belarus, Croatia, England, Estonia, Finland, France, Germany, Hungary, Italy, Latvia, Moldova, Macedonia, Netherlands, Norway, Poland, Romania, European Russia, Serbia, Slovakia, Spain, Switzerland, and Turkey (Taeger et al. 2006); in the Czech Republic known only from Bohemia (Beneš 1989). New species for Moravia.

Rhogogaster genistae Benson, 1947. Moravia mer.: Mohelno (6863), 28.v.1956, 1 spec., Z. Bouček lgt.; Bílé Karpaty PLA: Čertoryje NNR (7170), 20.vi.2006, 1 spec., J. Macek lgt.; Hutě NR (7073), 19.vi.2007, 1 spec., J. Macek lgt.; all records J. Macek det., coll. NMPC. Distributed in Belgium, Croatia, England, Estonia, France, Germany, Italy, Macedonia, Netherlands, Slovakia, Spain, and Sweden (Taeger et al. 2006); in the Czech Republic known only from Bohemia (Beneš 1989). New species for Moravia.

Tenthredo distinguenda (Stein, 1885). Moravia mer., Podyjí NP, Čížov (7161), 8.vii.1997, MT, 7 spec., J. Macek lgt. et det., coll. NMPC. Distributed in Austria, Belgium, Bulgaria, Croatia, Denmark, France, Germany, Greece, Italy, Macedonia, Netherlands, Romania, Serbia, Slovakia, Spain, Sweden, Switzerland, and Ukraine (Taeger et al. 2006); in the Czech Republic known only from Bohemia (Beneš 1989). New species for Moravia.

Tenthredo ignobilis Klug, 1817. Bohemia centr., Český kras PLA, Koda NR (6050), 19.vii.2007, MT, 1 spec.; Bohemia occ., Kynšperk nad Ohří (5841), 29.vi.2006, MT, 1 spec.; all records J. Macek lgt. et det., coll. NMPC. Distributed in Finland, France, Germany, Italy, Netherlands, Norway, Poland, and Switzerland (Taeger et al. 2006); in the Czech Republic known only from Moravia (Beneš 1989). New species for Bohemia.

Allantinae

Allantus coryli (Stritt, 1937). Bohemia bor., České Švýcarsko NP, Pryskyřičný důl gorge (5052), 6.ix.2006, MT, 3 spec., M. Trýzna lgt., J. Macek det., coll. NMPC. Distributed in Austria, England, Germany, Hungary, Netherlands, Slovakia, and Switzerland (Taeger et al. 2006). New species for the Czech Republic.

Ametastegia albipes (Thomson, 1871). Moravia mer., Bílé Karpaty PLA, Bílé Potoky NR (6874), 15.viii.2007, MT, 3 spec., J. Ježek lgt., J. Macek det., coll. NMPC. Distributed in Belgium, Croatia, England, Finland, France, Germany, Hungary, Italy, Netherlands, Norway, Romania, European Russia, Slovakia, Spain, Sweden, Switzerland, and Ukraine (Taeger et

al. 2006); in the Czech Republic known only from Bohemia (Beneš 1989). New species for Moravia.

Athalia scutellariae Cameron, 1880. Bohemia or., Železné hory PLA, Včelákov (6161), 5.vi.2006, MT, 5 spec., F. Bárta lgt.; Bohemia bor., České Švýcarsko NP, Pryskyřičný důl gorge (5052), 6.ix.2006, MT, 5 spec., M. Trýzna lgt.; Bohemia centr., Český kras PLA, Koda NNR (6050), 22.vi.2007, MT, 2 spec., J. Macek lgt.; all records J. Macek det., coll. NMPC. Distributed in Belgium, Denmark, England, Estonia, France, Finland, Germany, Hungary, Ireland, Italy, Latvia, Moldova, Netherlands, Poland, European Russia, Slovakia, Spain, and Switzerland (Taeger et al. 2006); in the Czech Republic known only from Moravia (Beneš 1989). New species for Bohemia.

Empria immersa (Klug, 1818). Bohemia centr., Příbram env., Lazec (6349), 15.v.2005, 1 spec., J. Macek lgt.; Bohemia or., Orlické hory PLA, Deštné v Orlických horách env., Pod Sfingou rock (6457), 23.v.-19.vi.2003, MT, 1 spec., J. Hájek lgt.; Bohemia bor., Jizerské hory PLA, Smrk Mt., Ztracený potok – Kyselka brook (5157), 2.vi.-30.vi.2006, MT, 1 spec., J. Preisler and P. Vonička lgt.; all records J. Macek det., coll. NMPC. Distributed in Austria, Belgium, Bulgaria, Denmark, Estonia, Finland, France, Germany, England, Hungary, Ireland, Italy, Netherlands, Poland, Romania, European Russia, Slovakia, Spain, Switzerland, and Ukraine (Taeger et al. 2006); in the Czech Republic known only from Moravia (Beneš 1989). New species for Bohemia.

Empria pallimacula (Serville, 1823) (= *E. baltica* Conde, 1937). Moravia mer., Bílé Karpaty PLA, Čertoryje NNR (7170), 9.v.2006, MT, 1 spec.; 29.v.2006, MT, 1 spec.; all records J. Macek lgt. et det., coll. NMPC. Distributed in Austria, Belgium, Croatia, Estonia, Finland, France, Germany, England, Hungary, Ireland, Italy, Latvia, Netherlands, Norway, Poland, European Russia, Slovakia, Switzerland, and Ukraine (Taeger et al. 2006); in the Czech Republic known only from Bohemia as *E. baltica* (Beneš 1989). New species for Moravia.

Empria pumiloides Lindqvist, 1968. Bohemia or.: Orlické hory PLA, Neratov env., Zvonkové údolí valley (6457), 20.v.2003, MT, 5 spec., J. Hájek lgt.; Železné hory PLA, Nasavrky env., Slávická obora forest (6160), 31.v.2006, MT, 2 spec., F. Bárta lgt.; Bohemia bor., České Švýcarsko NP, Brtníky env., Vlčí potok brook (5052), 23.v.2006, MT, 1 spec., M. Trýzna lgt.; Moravia mer., Bílé Karpaty PLA, Čertoryje NNR (7170), 9.v.2006, MT, 1 spec., J. Macek lgt.; all J. Macek det., coll. NMPC. Distributed in Estonia, Germany, Finland, European Russia, and Sweden (Taeger et al. 2006). New species for the Czech Republic.

Empria testaceipes (Konow, 1896). Bohemia occ., Kaceřov (5841), 23.v.2006, MT, 2 spec., J. Macek lgt. et det., coll. NMPC. Distributed in Germany and Slovakia (Taeger et al. 2006); in the Czech Republic known only from Moravia (Beneš 1989). New species for Bohemia.

Empria ushinskii Dovnar-Zapolskij, 1929. Bohemia centr., Báň NR (5857), 20.-30.iv.2001, MT, 2 spec., B. Mocek lgt.; Moravia mer.: Bílé Karpaty PLA: Čertoryje NNR (7170), 29.v.2006, MT, 1 spec., J. Macek lgt.; Machová NR (7171), 28.v.2007, MT, 1 spec., J. Macek lgt.; all records J. Macek det., coll. NMPC. Distributed in Ukraine (Taeger et al. 2006) and Caucasus (Zhelochovtsev 1988); Zhelochovtsev (1988) also mentioned it from the former Czechoslovakia without further details. New species for the Czech Republic.

Monostegia nigra (Konow, 1896). Bohemia or., Železné hory PLA, Zbyslavec (6059), 27.iv.2007, MT, 1 spec., F. Bárta lgt., J. Macek det., coll. NMPC. Distributed in Austria, Bulgaria, Germany, Greece, Hungary, Macedonia, and Slovakia (Taeger et al. 2006); in the Czech Republic known only from Moravia (Macek 2006). New species for Bohemia.

Taxonus alboscutellatus Niezabitowski, 1899. Bohemia bor., Jizerské hory PLA, Bukovec NR (5159), 31.v.2003, MT, 8 spec., J. Preisler lgt.; Jizerské hory PLA, Jizerka settlement, Pralouka NR (5159), 7.vi.2004, MT, 3 spec.; same locality, 27.vi.2004, 2 spec., all J. Preisler and P. Vonička lgt.; Bohemia or.: Orlické hory PLA: Bukačka NNR (6456), 28.vi.1994, MT, 6 spec., J. Macek lgt.; same locality, 12.ix.2005, larva on *Filipendula ulmaria* (bred 28.iii.2006), J. Macek lgt.; Moravia bor., Jeseníky PLA, Velký Kotel Mt. (5969), 14.-28.vii.1994, MT, 2 spec., J. Ježek lgt.; all records J. Macek det., coll. NMPC. Distributed in Germany, Slovakia, and Ukraine (Taeger et al. 2006). New species for the Czech Republic.

Blennocampinae

Euparaeophora exarmata (Thomson, 1871). Moravia mer., Lednice (7166), 4.-8.v.1987, 6 spec., J. Macek lgt. et det., coll. NMPC. Distributed in Austria, Germany, Italy, Spain, Sweden, and Switzerland (Taeger et al. 2006). New species for the Czech Republic.

Eurhadinoceraea ventralis (Panzer, 1799). Moravia mer.: Bílé Karpaty PLA: Machová NR (7171), 28.v.2007, MT, 1 spec.; same locality, 30.vi.2006, larva on *Clematis recta*; all J. Macek lgt. et det., coll. NMPC. Distributed in Austria, France, Germany, Hungary, Italy, Portuguese, Romania, European Russia, and Switzerland (Taeger et al. 2006). New species for the Czech Republic.

Periclista lineolata (Klug, 1816). Moravia mer.: Bílé Karpaty PLA: Čertoryje NNR (7170), 9.v.2006, MT, 1 spec.; Hutě NR (7073), 9.v.2007, MT, 1 spec.; all J. Macek lgt. et det., coll. NMPC. Distributed in Austria, Belgium, Croatia, England, Estonia, Finland, France, Germany, Hungary, Italy, Netherlands, Romania, European Russia, Slovakia, and Switzerland (Taeger et al. 2006); in the Czech Republic known only from Bohemia (Beneš 1989). New species for Moravia.

Periclista pubescens (Zaddach, 1859). Bohemia centr., Praha-Kunratice (5952), 12.v.2001, larva on *Quercus*; Moravia mer., Bílé Karpaty PLA, Čertoryje NNR (7170), 20.v.2005, larva on *Quercus*; all J. Macek lgt. et det., coll. NMPC. Distributed in Belgium, Denmark, England, France, Germany, Italy, Moldova, Netherlands, Romania, Russia (Kaliningrad region), Switzerland (Taeger et al. 2006), and Slovakia (Patočka et al. 1962). New species for the Czech Republic.

Heterarthrinae

Fenusella nana (Klug, 1816). Bohemia centr.: Káraný (5854), 8.v.2005, 2 spec., J. Macek lgt.; Praha-Šárka (5852), 24.v.1984, 1 spec., J. Macek lgt.; Bohemia or., Železné hory PLA, Mokřadlo NR (6260), 9.v.2000, MT, 1 spec., F. Bárta lgt.; Bohemia occ., Kynšperk nad Ohří env., Libavský potok brook (at its mouth to Ohře river) (5841), 13.vi.2006, MT., 1 spec., J. Macek lgt.; Bohemia bor., České Švýcarsko NP, Růžák NNR (5152), 16.v.2007, MT, 1 spec., M. Trýzna lgt.; all J. Macek det., coll. NMPC. Distributed in Austria, Belgium, Bulgaria, Denmark, England, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Poland, Romania, European Russia, and Sweden (Taeger et al. 2006); in the Czech Republic known only from Moravia (Beneš 1989). New species for Bohemia.

Heterarthrus wuestneii (Konow, 1905). Moravia mer., Bílé Karpaty PLA, Čertoryje NNR (7170), 9.v.2006, MT, 1 spec., J. Macek lgt. et det., coll. NMPC. Distributed in Austria,

Corsica, England, Germany, Denmark, Switzerland, and Ukraine (Taeger et al. 2006). New species for the Czech Republic.

Hinatara nigripes (Konow, 1907). Moravia mer., Bílé Karpaty PLA, Čertoryje NNR (7170), 9.v.2006, MT, 1 spec., J. Macek lgt. et det., coll. NMPC. Distributed in Austria, Bulgaria, Croatia, Germany, Hungary, Italy, Romania, European Russia, and Ukraine (Taeger et al. 2006); Liston (1995) mentioned it from the former Czechoslovakia without further details. New species for the Czech Republic.

Hinatara recta (Thomson, 1871). Bohemia bor., České Švýcarsko NP, Růžák NNR (5152), 22.v.2005, MT, 8 spec.; České Švýcarsko NP, Ponova louka NR (5152), 28.v.2006, MT, 1 spec., all M. Trýzna lgt.; Bohemia occ., Dasnice (5841), 23.v.2006, MT, 1 spec., J. Macek lgt.; all records J. Macek det., coll. NMPC. Distributed in Austria, Bulgaria, Estonia, France, Germany, Italy, Poland, Romania, European Russia, Slovakia, Sweden, and Switzerland (Taeger et al. 2006); in the Czech Republic known only from Moravia (Beneš 1989). New species for Bohemia.

Metallus albipes (Cameron, 1875). Bohemia centr., Hradčany env., Báň NR (5857), 20.-29.v.2005, MT, 1 spec., B. Mocek lgt.; Bohemia or.: Železné hory PLA, Slávická obora forest (6160), 31.v.2006, MT, 1 spec., F. Bárta lgt.; Železné hory PLA, Zlatá louka NR (6260), 20.vii.1996, MT, 1 spec., J. Macek lgt.; Zlatý potok brook, Mělčany env. (5762), 5.vii.2002, MT, 1 spec., 25.vii.2002, MT, 1 spec., all J. Macek lgt.; Orlické hory PLA, Trčkov NNR (6456), 28.vii.2003, MT, 1 spec., J. Hájek lgt.; all records J. Macek det., coll. NMPC. Distributed in Austria, England, Estonia, Finland, France, Germany, Hungary, Italy, Netherlands, Poland, European Russia, and Sweden (Taeger et al. 2006); in the Czech Republic known only from Moravia (Beneš 1989). New species for Bohemia.

Cephidae

Cephus infuscatus Thomson 1871. Bohemia centr.: Běštín (6150), 16.vi.2005, 1 spec., H. Studničková lgt.; Lipovka NR (5854), 16.vi.1993, MT, 1 spec., 9.vi.1993, MT, 1 spec., all J. Macek lgt.; Řevnice (6051), 17.vi.1986, 1 spec., J. Macek lgt.; Bohemia mer., Lásenice env., Homolka hill (6955), 19.vi.1990, 1 spec., J. Macek lgt.; Bohemia occ., Dolní Rychnov (5841), 25.vi.2007, MT, 1 spec., J. Macek lgt.; Bohemia or., Velký Vřešťov (5660), 20.vi.1996, 1 spec., Z. Bouček lgt.; Moravia mer., Podyjí NP, Zlámaná skála rock (7161), 11.vi.1992, 1 spec., J. Macek lgt.; all records J. Macek det., coll. NMPC. Distributed in Austria, Croatia, Germany, Italy, European Russia (Taeger et al. 2006), and Slovakia (Jendeková 1988). New species for the Czech Republic.

Hartigia xanthostoma (Eversmann, 1847). Bohemia occ.: Slavkovský les PLA, Podstrání (5841), 4.vi.2007, MT, 2 spec.; Rovná (5841), 4.vi.2007, MT, 1 spec., all J. Macek lgt.; Bohemia or.: Mělčany env., Zlatý potok brook (5762), 9.-27.v.2002, 1 spec., MT, J. Macek lgt.; Železné hory PLA, Strádovka NR (6160), 18.vi.1998, MT, 1 spec.; Železné hory PLA, Krkanka NR (6160), 30.vii.2004, MT, 1 spec; Železné hory PLA, Mokřadlo NR (6260), 13.v.2000, MT, 1 spec., all F. Bárta lgt.; Bohemia centr.: Praha-Hrnčíře (5953), 10.vi.1991, 1 spec., V. Švihla lgt.; Lipovka NR (5854), 12.-25.5.1992, MT, 1 spec., J. Macek lgt.; Moravia bor., Černovír (6369), 22.v.1964, 2 spec., F. Palásek lgt.; all records J. Macek det., coll. NMPC. Distributed in Austria, Belgium, Bulgaria, Denmark, England, Estonia, Finland, France, Germany, Italy, Netherlands, Norway, Poland, Sweden, and Switzerland (Taeger et

al. 2006); Liston (1995) mentioned it from the former Czechoslovakia without further details. New species for the Czech Republic.

Xiphydriidae

Xiphydria betulae (Enslin, 1911). Bohemia centr., Příbram-Háje (6350), 13.vi.1987, 1 spec., J. Macek lgt. et det., coll. NMPC. Distributed in Belgium, Croatia, Germany, Finland, Hungary, European Russia, and Ukraine (Taeger et al. 2006); in the Czech Republic known only from Moravia (Pádr 1990). New species for Bohemia.

ACKNOWLEDGMENTS. This study was supported by the Ministry of Culture of the Czech Republic (grant MK 00002327201).

BENEŠ K. 1989: Symphyta, pp. 13-25. In: ŠEDIVÝ J. (ed.): Enumeratio Insectorum Bohemoslovakiae. Check-list of Czechoslovak Insects. III (Hymenoptera). *Acta Faunistica Entomologica Musei Nationalis Pragae*, 19: 1-194. – CHEVIN H. 1982: Un nouvel Hyménoptère Argidae, Stericthiphora longicornis n. sp. *Cahiers des Naturalistes, Bulletin des Naturalistes Parisiens*, *N. S.*, 37: 53-54. – JENDEKOVÁ J. 1988: Hrubopáse (Hymenoptera, Symphyta) vybraných lokalít juhozápadného Slovenska zo zbierok Slovenského národného múzea. [Sawflies (Hymenoptera, Symphyta) of the selected localities of the southwest Slovakia from the collections of the Slovak National Museum]. *Zborník Slovenského Národného Múzea, Prírodné Vedy*, 34: 49-56 (in Slovak). – LISTON A. D. 1995: *Compedium of European Sawflies. List of species, modern nomenclature, distribution, foodplants, identification literature.* Gottfrieding, Chalastos Forestry, 190 pp. – MACEK J. 2006: Faunistic records from the Czech Republic - 219. Hymenoptera: Symphyta. *Klapalekiana*, 42: 345-349. – PÁDR Z. 1990: Faunistic records from Czechoslovakia. *Acta Entomologica Bohemoslovaca*, 87: 396-398. – PATOČKA J., ČAPEK M. & CHARVÁT K. 1962: Príspevok k poznaniu korunovej fauny článkonožcov na duboch Slovenska, predovšetkým so zreteľom na rad Lepidoptera. [Contribution to the knowledge of the oak canopy Arthropod fauna in Slovakia with special respect to the Lepidoptera]. *Biologické Práce*, 8(5): 1-154 (in Slovak). – TAEGER A., BLANK M. S. & LISTON A. D. 2006: European sawflies (Hymenoptera: Symphyta) – a species checklist for the countries, pp. 399-504. In: BLANK S. M., SCHMIDT S. & TAEGER A. (eds.): *Recent Sawfly Research: Synthesis and Prospects*. Goecke & Evers, Keltern, 702 pp.

Jan MACEK, Department of Entomology, National Museum, Kunratice 1,
CZ-148 00 Praha 4, Czech Republic; e-mail: macjan@seznam.cz