Published December 28, 2009 Klapalekiana, **45**: 283–285, 2009
ISSN 1210-6100

## FAUNISTIC RECORDS FROM THE CZECH REPUBLIC – 289

### Coleoptera: Carabidae

***Asaphidion austriacum*** Schweiger, 1975. Moravia mer., Drnholec (7164), 2.iv.1988, 1 ♀, V. Karas lgt., F. Grycz det., P. Veselý revid., coll. South Bohemian Museum in České Budějovice; Moravia occ., Křemačov near Mohelnice (6267), 2.v.2008, 1 ♀, on a bare loamy bank of the Mírovka brook together with *Asaphidion flavipes* (Linnaeus, 1761), P. Moravec lgt., det. et coll., P. Veselý revid. Euro-Caucasian species, in central Europe known from Austria, Germany, Hungary and Slovakia (Hůrka 1996, Marggi et al. 2003, Vigna Taglianti 2007). New species for the Czech Republic.

***Bembidion* (*Paraprincidium*) *ruficolle*** (Panzer, 1796). Bohemia mer., Stráž nad Nežárkou (6955), 450 m a.s.l., 22.vii.2005, 1 spec., on a bare sandy bank of a small artificial sandy lake in a sandpit together with *Dyschirius politus* (Dejean, 1825) and *Omophron limbatum* (Fabricius, 1777), V. Křivan lgt., det. et coll., F. Grycz revid.; Bohemia or., Heřmanice near Jaroměř (5661), 270 m a.s.l., 5.vii.2008, 1 ♀ (teneral) on a bare sandy bank of the Labe river together with *Bembidion* (*Peryphiolus*) *monticola* Sturm, 1825, P. Vonička lgt., det. et coll. Euro-Siberian species occurring in northern, central and eastern Europe and western Siberia. In central Europe known only from Germany, Slovakia (Hůrka 1996, Marggi et al. 2003, Vigna Taglianti 2007) and also from Poland (e.g. Burakowski et al. 1973, Pawłowski 1974, Vigna Taglianti 2007). Only records from the Czech Republic are more than one hundred years old, from the central Bohemia: Libiš (Jedlička 1910), Prag [= Praha], Brandeis a. Elbe [= Brandýs nad Labem], Čelakovice [= Čelákovice], Libisch [= Libiš near Neratovice] (Netolitzky 1912). Vigna Taglianti (2007) reported this species as doubtful for the Czech Republic. Occurrence confirmed in the Czech Republic.

***Bembidion* (*Sinechostictus*) *decoratum decoratum*** (Duftschmid, 1812). Moravia mer., Podyjí National Park, Hnanice – Devět mlýnů (7161), 240 m a.s.l., 27.vii.2005, 2 spec., V. Křivan lgt. et det., F. Grycz revid., coll. V. Křivan et F. Grycz; 9.v.2007, 2 spec., V. Křivan lgt., det. et coll. All specimens were found on a partly shaded gravelly sandy bank of the Dyje river. Nominotypical subspecies distributed in central Europe, of the countries neighbouring the Czech Republic, known from Austria, Germany, Hungary and Slovakia (Hůrka 1996, Marggi et al. 2003, Vigna Taglianti 2007) and also from Poland (e.g. Burakowski et al. 1973, Pawłowski 1974, Vigna Taglianti 2007). From the Czech Republic, recorded from Moravia without precise data (Reitter 1908, Fleischer 1927-1930). Its occurrence in the Czech Republic (Marggi et al. 2003, Vigna Taglianti 2007) has been presented on the basis of these old records, or in error. The first exact records from the Czech Republic.

***Parophonus* (*Parophonus*) *dejeani*** (Csiki, 1932). Moravia mer.: Dyjákovičky – Ječmeniště (7262), 280 m a.s.l., 26.iv.2003, 1 ♂, 1 ♀, V. Křivan lgt., det. et coll.; 6.v.2006, 1 ♂, V. Křivan lgt., det. et coll., 2 ♂♂, 1 ♀, D. Pleskač lgt., P. Vonička det., coll. D. Pleskač et P. Moravec, 1 ♂, 1 ♀, S. Urban lgt., P. Vonička det. et coll.; 29.v.2007, 2 ♀♀, P. Veselý lgt., det. et coll.; all specimens on a southern slope in a vineyard; Hrabětice – Trávní dvůr (7264), 180 m a.s.l.,

6.v.2006, 1 ♂, D. Pleskač lgt. et coll., P. Vonička det.; Trkmanice [= Trkmanský dvůr] near Rakvice (7167), 164 m a.s.l., 24.iv.2007, 1 ♂, on a fallow land at the base of the Trkmanka brook embankment, P. Veselý lgt., det. et coll. Probably a Pontic species also distributed in a southeastern part of central Europe, where it is authentically documented from Austria, Hungary and Slovakia (Hůrka 1996, Kataev et al. 2003, Vigna Taglianti 2007). Data from Germany, western Europe, Iberian Peninsula, Malta, Italy and Russia (all Kataev et al. 2003), and from Turkey and Syria (Hůrka 1996) are probably largely incorrect (cf. Sciaky 1992, Vigna Taglianti 2007). From the Czech Republic, reported by Kliment (1899) (southern Moravia) and by Fleischer (1927-1930) (in the south of Brno as far as the border of Low Austria, and Prague environs), in both cases as *Ophonus maculicornis* v. *complanatus* (Dejean, 1829) without precise data. The first exact records from the Czech Republic.

***Ophonus* (*Metophonus*) *parallelus*** (Dejean, 1829). Moravia mer., Mikulov (7165), 22.vi.2005, 1 ♀, R. Udržal lgt., J. Prouza det. et coll., D. W. Wrase revid. Euro-Anatolian species distributed from Spain and British Isles to the southern European Russia and Asia Minor (Kataev et al. 2003, Sciaky 1987). In central Europe known from Austria, Germany, Hungary and Slovakia (Hůrka 1996, Kataev et al. 2003, Vigna Taglianti 2007). New species for the Czech Republic.

BURAKOWSKI B., MROCZKOWSKI M. & STEFAŃSKA J. 1973: *Chrząszcze – Coleoptera. Biegaczowate – Carabidae, cz. 1. Katalog fauny Polski 23 (2)*. PAN, Institut zoologiczny, Warszawa, 233 pp (in Polish). – FLEISCHER A. 1927-1930: *Přehled brouků fauny Československé republiky*. Mor. Mus. Zemské, Brno, 485 pp (in Czech). – HŮRKA K. 1996: *Carabidae of the Czech and Slovak Republics. Carabidae České a Slovenské republiky*. Kabourek, Zlín, 565 pp (in English and Czech). – JEDLIČKA A. 1910: Klíč k určování českých brouků. Bembidiinae. *Čas. Čes. Společ. Entomol.,* 7: 60-90 (in Czech). – KATAEV B. M., WRASE D. W. & ITO N. 2003: Carabidae: Harpalinae: Harpalina, pp. 367-397. In: LÖBL I. & SMETANA A. (eds.) 2003: *Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata – Myxophaga – Adephaga.* Apollo Books, Stenstrup, 819 pp. – KLIMENT J. 1899: *Čeští brouci. (Dílo o broucích Čech, Moravy a Slezska)*. J. Kliment, Německý Brod, 811 pp (in Czech). – MARGGI W. A., HUBER C., MÜLLER-MOTZFELD G. & HARTMANN M. 2003: Carabidae: Trechinae: Bembidiina, pp. 241-273. In: LÖBL I. & SMETANA A. (eds.) 2003: *Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata – Myxophaga – Adephaga.* Apollo Books, Stenstrup, 819 pp. – NETOLITZKY F. 1912: Die Verbreitung des Bembidion ruficolle Gyll. *Entomol. Bl*., 8: Beilage zu Heft 10/11 [2 pp., 1 map]. – PAWŁOWSKI J. 1974: *Klucze do oznaczania owadów Polski. Cz. XIX, Chrząszcze – Coleoptera, Zesz. 3 b, Biegaczowate – Carabidae, Podrodziny Bembidiinae, Trechinae*. PWN, Warszawa, 94 pp (in Polish). – REITTER E. 1908: *Fauna Germanica. Die Käfer des Deutschen Reiches, I. Bd.* K. G. Lutz' Verlag, Stuttgart, 248 pp + 40 tab. – SCIAKY R. 1987: Revisione delle specie paleartiche occidentali del genere Ophonus Dejean, 1821 (Coleoptera Carabidae) (XVIII contributo alla conoscenza dei Coleoptera Carabidae). *Mem. Soc. Entomol. Ital.* (Genova), 65(1986): 29-120. – SCIAKY R. 1992: Revisione dei Selenophorina paleartici occidentali (Coleoptera Carabidae Harpalinae) (XXXVI contributo alla conoscenza dei Coleoptera Carabidae). *Boll. Zool. Agr. Bachic., Ser. II*, 24: 37-65. – VIGNA TAGLIANTI A. 2007: Fauna Europaea: Carabidae. In: AUDISIO P. (ed.): *Fauna Europaea: Coleoptera 2. Fauna Europaea version 1.3*. http://www.faunaeur.org (as of 11 October 2009).

Václav KŘIVAN, Štěměchy 68, CZ-675 27 Předín, Czech Republic;
e-mail: vasek.krivan@email.cz
Pavel MORAVEC, Jezuitská 6, CZ-412 01 Litoměřice, Czech Republic;
e-mail: pavel.moravec@nature.cz
Petr VESELÝ, Tálínská 1030, CZ-198 00 Praha 9 – Kyje, Czech Republic;
e-mail: vesely.ptr@tiscali.cz

Pavel VONIČKA, North Bohemian Museum, Masarykova 11, CZ-460 01 Liberec, Czech Republic; e-mail: pavel.vonicka@muzeumlb.cz
František GRYCZ, Nerudova 10, CZ-370 04 České Budějovice, Czech Republic; e-mail: gryczak@seznam.cz
Jaroslav PROUZA, Čajkovského 918, CZ-500 09 Hradec Králové, Czech Republic; e-mail: jaroslav.prouza@centrum.cz