
FAUNISTIC RECORDS FROM THE CZECH REPUBLIC – 420

Coleoptera:**Apionidae**

Ceratapion (Echinostroma) basicorne (Illiger, 1807). Bohemia mer., Blanský les Protected Landscape Area, Křemže (7051), 28.vii. – 2.viii.2016, 30 spec., D. Čudan leg., det. et coll.; Moravia mer., Podyjí National Park, Čížov (7161), 20.vii.2016, 2 spec., F. Trnka leg., det. et coll. All specimens were beaten from the host plant *Centaurea cyanus*. Widespread species known from Spain, France, Italy, Belgium, The Netherlands, Sweden, Central Europe, Romania, the Balkan Peninsula, Latvia, Ukraine, Russia, Transcaucasia, Turkey, Cyprus, Iran, Israel and Lebanon (Alonso-Zarazaga 2011). This species has been recorded for both Bohemia and Moravia, but only in the historical literature (Hlisenkovský 1965, Strejček 1993). Occurrence in the Czech Republic confirmed.

Curculionidae: Ceutorhynchinae

Thamicolus kraatzi (C. Brisout, 1869). Moravia bor., Doubrava (6176), 21.v.2016, 1 spec., P. Boža leg., det. et coll. The specimen was swept from the vegetation with the host plant *Stachys palustris*. Palaearctic species, known from Spain, France, Italy, Central Europe, the Balkan Peninsula, Belarus, Romania, Ukraine, Russia and Japan (Colonnelli 2013). Recent records from central Europe only from Poland (Benedikt et al. 2010) and Slovakia (Blažek & Krátký 2015). This species was historically found in Bohemia and Moravia (Fleischer 1927–1930, Benedikt et al. 2010). Occurrence in the Czech Republic confirmed.

Curculionidae: Molytinae

Neoplinthus tigratus porculus (Fabricius, 1801). Bohemia bor., Štětí (5552), 10.vi.2016, 1 spec., specimen was found casually on the ground, R. Kočvara leg., F. Trnka det. et coll.; same locality, 15.x.2016, 1 spec. and many larvae in roots and stems of *Humulus lupulus*, P. Jansa leg., det. et coll.; Želízy (5552), 16.x.2016, 6 larvae in the same host plant, P. Jansa leg., det. et coll. European species known from France, Italy, central Europe, Slovenia, Bosnia Herzegovina, Croatia, Romania and Ukraine (Alonso-Zarazaga 2013). In the Czech Republic it was recorded only once from Bohemia by Fleischer (1927–1930). First reliable record from the Czech Republic.

ACKNOWLEDGEMENTS. The study of *Ceratapion basicorne* was supported by project TB020MZP048 funded by The Technology Agency of the Czech Republic.

ALONSO-ZARAZAGA M. A. 2011: Apionidae. Pp. 148–176. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera, Volume 7. Curculionoidea I*. Apollo Books, Stenstrup, 373 pp. – ALONSO-ZARAZAGA M. A. 2013: Molytinae. Pp. 475–497. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera*,


Volume 8. Curculionoidea II. Leiden, Brill, 700 pp. – BENEDIKT S., BOROVEC R., FREMUTH J., KRÁTKÝ J., SCHÖN K., SKUHROVEC J. & TRÝZNA M. 2010: Komentovaný seznam nosatcovitých brouků (Coleoptera: Curculionoidea bez Scolytinae a Platypodinae) České republiky a Slovenska, 1. díl. Systematika, faunistika, historie výzkumu nosatcovitých brouků v České republice a na Slovensku, nástin skladby, seznam. Komentáře k Anthribidae, Rhynchitidae, Attelabidae, Nanophyidae, Brachyceridae, Dryophthoridae, Eirirhinidae a Curculionidae: Curculioninae, Bagoinae, Baridinae, Ceutorhynchinae, Conoderinae, Hyperinae. Annotated checklist of weevils (Coleoptera: Curculionoidea excepting Scolytinae and Platypodinae) of the Czech Republic and Slovakia Part 1. Systematics, faunistics, history of research on weevils in the Czech Republic and Slovakia, structure outline, checklist. Comments on Anthribidae, Rhynchitidae, Attelabidae, Nanophyidae, Brachyceridae, Dryophthoridae, Eirirhinidae and Curculionidae: Curculioninae, Bagoinae, Baridinae, Ceutorhynchinae, Conoderinae, Hyperinae. *Klapalekiana* **46 (Supplementum)**: 1–363 (in Czech and English). – BLAŽEK R. & KRÁTKÝ J. 2015: Nové nálezy nosatce *Thamiocolus kraatzii* (Coleoptera: Curculionidae: Ceutorhynchinae) na Slovensku. (New records of the weevil *Thamiocolus kraatzii* (Coleoptera: Curculionidae: Ceutorhynchinae) in Slovakia). *Folia Faunistica Slovaca* **20 (1)**: 9–12 (in Czech, English abstract). – COLONNELLI E. 2013: Subfamily Ceutorhynchinae. Pp. 176–214. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera. Volume 8. Curculionoidea II.* Brill, Leiden, 700 pp. – FLEISCHER A. 1927–1930: *Přehled brouků fauny Československé republiky*. [Review of the beetle fauna of the Czechoslovak Republic]. Moravské muzeum zemské, Brno, 485 pp. (in Czech). – STREJČEK J. 1993: Curculionoidea. Pp. 134–152. In: JELÍNEK J. (ed.): Check-list of Czechoslovak Insects IV (Coleoptera). (Seznam československých brouků). *Folia Heyrovskyana Supplementum* **1**: 3–172 (in Czech and English).

Filip TRNKA, Department of Ecology & Environmental Sciences, Faculty of Science,
Palacký University Olomouc, Šlechtitelů 27, CZ-783 71 Olomouc, Czech Republic;
e-mail: filip.trnka88@gmail.com

Dušan ČUDAN, Chlum 200, CZ-382 03 Křemže, Czech Republic;
e-mail: cudand@seznam.cz

Petr BOŽA, Jeremiášova 432, CZ-779 00 Olomouc, Czech Republic;
e-mail: Boza.Petr@seznam.cz

Petr JANSÁ, Křivenice 42, CZ-277 03 Horní Počaply, Czech Republic;
e-mail: dendrolog.petr@centrum.cz



Figs 1–6. 1–2 – *Ceratapion basicorne* (Illiger, 1807) and habitat in Čížov (Podyjí National Park). 3–4 – *Thamiocolus kraatzi* (C. Brisout, 1869) and habitat in Doubrava. 5–6 – *Neoplinthus tigratus porculus* (Fabricius, 1801) and habitat in Štětí.

Obr. 1–6. 1–2 – *Ceratapion basicorne* (Illiger, 1807) a biotop v Čížově (Národní park Podyjí). 3–4 – *Thamiocolus kraatzi* (C. Brisout, 1869) a biotop v Doubravě. 5–6 – *Neoplinthus tigratus porculus* (Fabricius, 1801) a biotop ve Štětí.