
FAUNISTIC RECORDS FROM THE CZECH REPUBLIC – 433

Coleoptera: Carabidae

Acupalpus (Acupalpus) elegans (Dejean, 1829). Bohemia centr.: Kralupy nad Vltavou-Minice (5751), 12.vii.2000, 1 spec., on a muddy bank of Orlík pond, J. Brádka lgt., det. et coll. Southern and Western Palaearctic halobiontic species (Hůrka 1996), distributed throughout Europe (except Fennoscandia and northern Russia), in North Africa and southwestern Asia. In Central Europe known from all neighbouring countries (Jaeger & Kataev 2003). In the Czech Republic it was reported only from Moravia (Pulpan & Hůrka 1993, Hůrka 1996, Zahradník 2017). New species for Bohemia.

Asaphidion austriacum Schweiger, 1975. Bohemia bor.: Litoměřice (5450), 2.ix.1995, 1 ♂, 1 ♀; 25.iv.1992, 1 ♂, 29.iii.2006, 1 ♂, both on Střelecký ostrov island; 31.vii.2004, 1 ♀, on Písečný ostrov island; Lovosice (5450), 29.x.2015, 1 ♀, on river island, all P. Moravec lgt., det. et coll., P. Veselý revid., all specimens on the edges of the Labe river; Písty (5550), 23.viii.1994, 1 ♀, on a sandy bank of the Ohře river, P. Moravec lgt., det. et coll., P. Veselý revid.; Černěves (5551), 9.–28.iv.2014, 4 ♂♂, 4 ♀♀, P. Moravec lgt. et det., P. Veselý et K. Rébl revid., coll. P. Moravec, K. Rébl et P. Veselý; 28.iv.2014, 1 ♀, P. Moravec lgt., det. et coll., P. Veselý et K. Rébl revid., all specimens on a partly shaded sandy bank of the Labe river. All specimens (except 2015) were originally determined as *Asaphidion flavipes* (Linnaeus, 1761). Euro-Caucasian species, in Central Europe known from Austria, Czech Republic, Germany, Hungary and Slovakia (Hůrka 1996, Marggi et al. 2003, Vigna Taglianti 2013). In the Czech Republic reported only from Moravia (Křivan et al. 2009, Zahradník 2017). New species for Bohemia.

Bembidion (Semicampa) schueppelii Dejean, 1831. Bohemia or.: Orlické hory Mts, Sněžné env. (5663), 14.vii.1982, 3 spec., ix.1982, 1 spec., all R. Čtvrtečka lgt., K. Resl det., coll. R. Čtvrtečka et K. Resl; ditto, 1.v.1987, 4 spec., 14.vi.1987, 1 spec., all R. Čtvrtečka lgt., det. et coll. All specimens were found in an alluvium of the Olešenka brook. Euro-Siberian species, in Central Europe known from all neighbouring countries (Hůrka 1996, Marggi et al. 2003, Vigna Taglianti 2013). In the Czech Republic reported from Bohemia and Moravia (Pulpan & Hůrka 1993, Hůrka 1996, Zahradník 2017), but from Bohemia only one published historical record: Bohemia bor., Hřensko (5151), 12.v.1947, 1 spec., J. Brožík lgt. (Pičman 1964). Hůrka (1996) reported it from Orlické hory Mts on the basis of the above records, but without exact data. First precise contemporary records for Bohemia.

Dyschirius (Dyschiriodes) chaldeus Erichson, 1837. Bohemia centr.: Úžice (5752), 31.vii.2000, 1 spec., on the salty muddy bottom of a Černavka dry stream, J. Brádka lgt. et coll., P. Bulirsch det.; 26.vii.2002, 1 spec., in a small rodent run on the muddy bottom of a sludge pond, together with *Trechoblemus micros* (Herbst, 1784) and *Trechus austriacus* Dejean, 1831, J. Brádka lgt., P. Bulirsch det. et coll. Western Palaearctic halobiontic species,

distributed from France to Central Asia and northwestern Mongolia, in Central Europe known from all neighbouring countries (Hůrka 1996, Balkenohl 2003, Vigna Taglianti 2013). In the Czech Republic reported from Bohemia and Moravia (Pulpán & Hůrka 1993, Zahradník 2017) but from Bohemia only known from two old records: Bylany near Most, 10.v.1968, 3 spec. (Strejček 1973, Strejček & Honců 1977) and Oužice (= Ůžice), vi.1909, 1 spec. (Roubal 1910). First contemporary records and confirmation of occurrence in Bohemia.

Dyschirius (Dyschiriodes) laeviusculus Putzeys, 1846. Bohemia centr.: Netřeba (5752), 12.viii.2002, 1 spec., on a muddy bank of an unnamed pond, J. Brádka lgt. et coll., P. Bulirsch det. Euro-Caucasian species (Hůrka 1996), distributed from France to Turkey, in Central Europe known from all neighbouring countries (Balkenohl 2003, Vigna Taglianti 2013). In the Czech Republic reported from Bohemia and Moravia but in Bohemia was considered extinct (Pulpán & Hůrka 1993, Hůrka 1996) because there was only a single historical record: Oužice (= Ůžice), vi.1904, 1 spec., J. Roubal lgt. (Havelka 1985). First contemporary record and confirmation of occurrence in Bohemia.

Harpalus (Harpalus) pygmaeus Dejean, 1829. Moravia mer.: Lednice, Prostřední rybník pond (7266), vi.1956, 1 ♂, J. Mařan lgt. et det., J. Pulpán revid., coll. Národní muzeum, Praha; Pouzdřany (7065), 30.v.1982, 1 spec., V. Karas lgt. et det., F. Grycz revid., coll. Jihočeské muzeum v Českých Budějovicích. Mediterranean species, from Central Europe known from Austria, Czech Republic, Hungary and Slovakia (Kataev et al. 2003, Vigna Taglianti 2013). In the Czech Republic reported only from Moravia (Fleischer 1927–1930: Lednice, Pulpán & Hůrka 1993, Hůrka 1996), but without exact data. First contemporary precise record and confirmation of occurrence in Moravia and the Czech Republic.

Parophonus (Ophononimus) hirsutulus (Dejean, 1829). Bohemia centr.: Přerov nad Labem, Přerovská hůra hill (5855), 9.vii.2011, 1 spec., at light, M. Linhart lgt., det. et coll. Turanian-Mediterranean species distributed from Iberian Peninsula and Morocco throughout Southern Europe to southern European Russia, Kazakhstan and Asia Minor (Kataev et al. 2003, Vigna Taglianti 2013). In Central Europe known from Hungary (Vigna Taglianti 2013), Slovakia (Veselý & Těťál 1998) and the Czech Republic, where it was reported only from Moravia (Linhart 2011, Zahradník 2017). New species for Bohemia. This first record suggests a continuing expansion of the range of this species.

Parophonus (Parophonus) maculicornis (Duftschmid, 1812). Moravia mer.: Břeclav-Pohansko (7267), 5.vi.2013, 1 ♀, V. Němec lgt., F. Grycz det. et coll.; Sedlec, Skalky u Sedlece Nature Monument (7266), 30.iv.2014, 1 spec., in a pile of rocks in a pasture, F. Grycz lgt., det. et coll., P. Veselý revid.; Novosedly (7164), saline habitat, 25.iv.–8.v.2015, 1 ♀ in a pitfall trap, K. Resl lgt., det. et coll. Western Palaearctic species, extending to the Caucasus and Syria, in Central Europe known from all neighbouring countries (Hůrka 1996, Kataev et al. 2003, Vigna Taglianti 2013). From the Czech Republic reported by Kliment (1899) (southern Moravia) and by Fleischer (1927–1930) (in the south of Brno as far as the border of Low Austria, and environs of Prague), in both cases as *Ophonus maculicornis* and *O. maculicornis* v. *complanatus* (Dejean, 1829) and without precise data. The locality „Prague environs“ is very unlikely and the records from southern Moravia probably refer to *Parophonus dejeani*

(Csiki, 1932) (= *complanatus*) (cf. Křivan et al. 2009). From Moravia currently reported by Hůrka (1996) on the basis of a record of one specimen from Vlárský průsmyk pass (K. Hůrka, in litt.), but it was later found that this locality is in fact in Slovakia, a few meters across the border (correct data: Slovakia occ.: Sidonie, Vlárský průsmyk pass (6974), 9.v.1991, 1 ♀, F. Urbánek lgt., det. et coll.). Zahradník (2017) reported it from Moravia as doubtful. First precise records from the Czech Republic.

Pterostichus (Pterostichus) fasciatopunctatus fasciatopunctatus (Creutzer, 1799). Bohemia mer.: Šumava Mts, Pasečná env. (7350), 700 m a.s.l., 6.v.1999, 1 ♂, 1 ♀, 16.ix.1999, 1 ♀, all specimens on a stream bank, all J. Majer lgt., det. et coll., K. Hůrka revid. Permanent occurrence was confirmed between the years 2000 and 2013 (more specimens on April and May, J. Majer observed). Alpine-Dinaric species with the centre of distribution in the eastern Alps. The nominotypical subspecies is known from Austria, Croatia, Bosnia-Herzegovina, Germany, Hungary, Italy, Luxembourg, Slovenia and Switzerland (Burmeister 1939, Freude 1983, Bousquet 2003, Vigna Taglianti 2013). From the Czech Republic (Bohemia and Moravia) a number of general (Klima 1902, Freude 1976) or incorrect data (e. g. Kirchner 1858, Müller 1863) were previously published. Only the unspecified data “Šumava” is credible (Fleischer 1927–1930). It was recently published in the National Red List of Invertebrates (Veselý et al. 2005) and it was mentioned by Linhart et al. (2015), in both cases without locality or precise data. First precise records from the Czech Republic.

Stenolophus (Stenolophus) discophorus (Fischer von Waldheim, 1823). Bohemia or.: Hrdoňovice (5557), 13.vii.1986, 1 spec., under a board near a sludge pond, Z. Štátný lgt., det. et coll.; Bohemia bor.: České středohoří Hills, Oblík hill (5548), 1.viii.2008, 1 ♀, at light, P. Moravec lgt., det. et coll.; Bohemia centr.: Mlékovice (6056), 26.iv.2014, 1 spec., on the muddy bottom of the Mlékovický rybník pond, M. Linhart lgt., det. et coll.; 19.vii.2014, 3 spec., at light on the bank of the Mlékovický rybník pond, M. Linhart, P. Moravec & P. Vonička lgt., det. et coll.; Praha-Dubeč (5953), 19.vii.2014, 1 spec., at light on the bed of the drained Rohožník pond, 7.viii.2015, 1 spec., to UV light trap on the bed of the drained Slatina pond, all P. Veselý lgt., det. et coll. Euro-Turanian species, distributed in Southern and Central Europe and southwestern Asia (Hůrka 1996, Jaeger & Kataev 2003). In Central Europe known from all neighbouring countries (Jaeger & Kataev 2003, Vigna Taglianti 2013). In the Czech Republic, it is currently known only from Moravia (Veselý et al. 2009), published records from Bohemia are more than fifty years old (Havelka 1986). Pulpán & Hůrka (1993) consider this species to be extinct in Bohemia but Hůrka (1996) reported it as rare and local. The first record published for southern Bohemia (Hesoun et al. 2008), is from the Toužinské stráně Natural Monument (near Dačice), situated in the historical territory of Moravia. Zahradník (2017) reported this species from Bohemia and Moravia without exact data. First precise contemporary records and confirmation of occurrence in Bohemia.

Stenolophus (Stenolophus) steveni Krynicki, 1832. Moravia or.: Šumice env. (6972), 13.vi.1984, 1 ♂, on a muddy pond bed, R. Lásková lgt. et coll., J. Pulpán det. Euro-Turanian species, distributed in southeastern and Central Europe, Turkey, Caucasus and Central Asia (Hůrka 1996, Jaeger & Kataev 2003). In Central Europe, known from the Czech Republic, Hungary and Slovakia (Jaeger & Kataev 2003, Vigna Taglianti 2013). Reported from the

Czech Republic (Moravia) by Hůrka (1996) on the basis of the above presented record, but without exact data and with incorrect locality (Uherský Brod). First precise record from the Czech Republic.

ACKNOWLEDGMENTS. We would like to thank our colleagues R. Čtvrtěčka (Liberec, Czech Republic), R. Láška (Uherský Brod, Czech Republic) and V. Němec (Český Krumlov, Czech Republic) for providing data.

BALKENOHL M. 2003: Carabidae: Scaritinae. Pp. 219–234. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata – Myxophaga – Adephaga*. Apollo Books, Stenstrup, 819 pp.

– BOUSQUET Y. 2003: Carabidae: Pterostichini. Pp. 469–521. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata – Myxophaga – Adephaga*. Apollo Books, Stenstrup, 819 pp.

– BURMEISTER F. 1939: *Biologie, Ökologie und Verbreitung der europäischen Käfer auf systematischer Grundlage. I. Band Adephaga, I. Familiengruppe Caraboidea*. Hans Goecke, Krefeld, 307 pp. – FLEISCHER A. 1927–1930: *Přehled brouků fauny Československé republiky*. [Synopsis of the beetles fauna of Czechoslovakia]. Moravské zemské muzeum, Brno, 483 pp. (in Czech).

– FREUDE H. 1976: Carabidae. In: FREUDE H., HARDE K. W. & LOHSE G. A. (eds): *Die Käfer Mitteleuropas. Band 2*. Goecke & Evers, Krefeld, 304 pp. – FREUDE H. 1983: Carabidenstudien 4. Pterostichus fasciatuspunctatus (Creutz.) und seine Rassen (Col.). *Nachrichtenblatt der Bayerischen Entomologen* 32: 1–5. – HAVELKA J. 1985: Brouci – Coleoptera. Katalog středního Polabí. [Beetles – Coleoptera. Catalogue of central Polabí region]. *Vlastivědný Zpravodaj Polabí* 25 (1–2): 22–35 (in Czech).

– HAVELKA J. 1986: Brouci – Coleoptera. Katalog středního Polabí. [Beetles – Coleoptera. Catalogue of central Polabí region]. *Vlastivědný Zpravodaj Polabí* 26 (3–4): 72–78 (in Czech).

– HESOUN P., JELÍNEK A. & KŘIVAN V. 2008: Inventarizační průzkum vybraných skupin bezobratlých PP Toužinské stráně. (Inventory survey of selected invertebrates of Toužinské stráně Nature Monument (NM)). *Acta Rerum Naturalium* 5: 229–242 (in Czech, English abstract).

– HŮRKA K. 1996: *Carabidae of the Czech and Slovak Republics. Carabidae České a Slovenské republiky*. Kabourek, Zlín, 565 pp. (in English and Czech).

– JAEGER B. & KATAEV B. M. 2003: Carabidae: Harpalinae: Stenolophina. Pp. 397–406. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata – Myxophaga – Adephaga*. Apollo Books, Stenstrup, 819 pp. – KATAEV B. M., WRASE D. W. & ITO N. 2003: Carabidae: Harpalinae: Harpalina. Pp. 367–397. In: LÖBL I. & SMETANA A. (eds) 2003: *Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata – Myxophaga – Adephaga*. Apollo Books, Stenstrup, 819 pp. – KIRCHNER A. 1858: Die Coleopteren der Umgegend von Kaplitz. *Lotos* 8: 56–64. – KLIMAA. 1902: Verzeichniss der Insekten Böhmens herausgegeben von der Gesellschaft für Physiokratie in Böhmen VI. *Die Käfer (Coleoptera) Böhmens – Catalogus insectorum faunae bohemicae* 6: 1–120. – KLIMENT J. 1899: *Čeští brouci. (Dílo o broucích Čech, Moravy a Slezska)*. [Czech beetles. Beetles of Bohemia, Moravia and Silesia]. J. Kliment, Německý Brod, 811 pp. (in Czech).

– KŘIVAN V., MORAVEC P., VESELÝ P., VONIČKA P., GRYZCZ F. & PROUZA J. 2009: Faunistic records from the Czech Republic – 289. Coleoptera: Carabidae. *Klapalekiana* 45: 283–285. – LINHART M. 2011: Faunistic records from the Czech Republic – 308. Coleoptera: Carabidae. *Klapalekiana* 47: 54. – LINHART M., VONIČKA P., MORAVEC P. & VESELÝ P. 2015: Výsledky sledování výskytu vybraných taxonů střevlíkovitých brouků (Coleoptera: Carabidae) na Šumavě v letech 2011 a 2012 a shrnutí dosavadních znalostí. (Results of survey of the occurrence of selected ground beetle taxa (Coleoptera: Carabidae) in the Bohemian Forest Mts in 2011 and 2012 and summary of the previous knowledge). *Západočeské Entomologické Listy* 6: 69–135 (in Czech, English abstract).

– MARGGI W. A., HUBER C., MÜLLER-MOTZFELD G. & HARTMANN M. 2003: Carabidae: Trechinae: Bembiidina. Pp. 241–273. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata – Myxophaga – Adephaga*. Apollo Books, Stenstrup, 819 pp. – MÜLLER J. 1863: Verzeichniss der bis jetzt in Mähren und Oesterreichisch-Schlesien aufgefundenen Coleopteren. *Verhandlungen des Naturforschenden Vereines in Brünn* 1 (1862): 211–245. – PIČMAN Z. 1964: Faunistické poznámky o Carabidech ČSSR. (Faunistische Bemerkungen über die Carabiden der Tschechoslowakei). *Časopis Slezského Musea, Série A – Vědy Přírodní* 13: 85–86 (in Czech, German summary).

– PULPÁN J. & HŮRKA K. 1993: Carabidae. Pp. 12–22. In: JELÍNEK J. (ed.): Check-list of Czechoslovak Insects IV. (Seznam československých brouků). *Folia Heyrovskyana Suppl.* 1: 1–172 (in English and Czech).

– ROUBAL J. 1910: Noví brouci české fauny a některé poznámky systematické a oekologické. [New beetles for the Czech fauna and some systematic and ecological notes]. *Časopis České Společnosti Entomologické* 7: 19–21 (in Czech).

– STREJČEK J. 1973: Nové nebo jinak zajímavé druhy brouků z Čech a Moravy. (Neue oder sonst interessante Käferarten aus Böhmen und Mähren). *Zprávy Československé Společnosti Entomologické* 9: 57–67 (in Czech, German summary).

– STREJČEK J. & HONCŮ M. 1977: Průzkum hmyzu státní přírodní rezervace Slanisko na Mostecku. (Erforschung der Insekten des staatlichen Naturschutzgebietes Slanisko in der Nähe von Most).

Sborník Severočeského Museu, Přírodní Vědy 9: 31–45 (in Czech, German summary). – VESELÝ P., MORAVEC P. & STANOVSKÝ J. 2005: Carabidae (střevlíkoviti). Pp. 406–411. In: FARKAČ J., KRÁL D. & ŠKORPÍK M. (eds): *Červený seznam ohrožených druhů České republiky. Bezobratlí. (Red list of threatened species in the Czech Republic. Invertebrates)*. Agentura ochrany přírody a krajiny ČR, Praha, 760 pp. (in Czech and English). – VESELÝ P., RESL K., STANOVSKÝ J., FARKAČ J., GRYZ F., KAŠPAR L., KMECO R., KOPECKÝ T., KŘIVAN V., LÁSKA R., MIKYŠKAA., MLEJNEK R., MORAVEC P., NAKLÁDAL O., PROUZA J., ŘÍHA J., VONIČKA P. & ZÚBER M. 2009: Zajímavé nálezy střevlíkovitých brouků (Coleoptera: Carabidae) z České republiky v letech 2002–2006 a doplněk údajů o sběrech z předcházejícího období. (Interesting findings of ground beetles (Coleoptera: Carabidae) from the Czech Republic in the years 2002–2006 with supplementary earlier data). *Klapalekiana* 45: 83–116 (in Czech, English summary). – VESELÝ P. & TĚTÁL I. 1998: Zajímavé nálezy střevlíkovitých brouků (Coleoptera: Carabidae) z Čech, Moravy a Slovenska v letech 1992–96 a doplněk údajů o sběrech z předcházejícího období. (Interesting findings of ground beetles (Coleoptera: Carabidae) from Bohemia, Moravia and Slovakia in the years 1992–96 with supplementary data on earlier records). *Klapalekiana* 34: 99–131 (in Czech, English summary). – VIGNA TAGLIANTI A. 2013: Fauna Europaea: Carabidae. In: AUDISIO P. (ed.): *Fauna Europaea: Coleoptera* 2. Fauna Europaea version 2.6.2, <http://www.faunaeur.org> (accessed 22 February 2017). – ZAHRAVNÍK P. 2017: *Seznam brouků (Coleoptera) České republiky a Slovenska. Check-list of beetles (Coleoptera) of the Czech Republic and Slovakia*. Lesnická práce, Kostelec nad Černými lesy, 544 pp. (in Czech and English).

Pavel VONIČKA, North Bohemian Museum in Liberec, Masarykova 11, CZ-460 01 Liberec, Czech Republic; e-mail: pavel.vonicka@muzeumlb.cz

Jaroslav BRÁDKA, V Zátíší 1018, CZ-278 01 Kralupy nad Vltavou, Czech Republic; e-mail: bradkaj@seznam.cz

František GRYZ, South Bohemian Museum in České Budějovice, L. B. Schneidera 6, CZ-370 01 České Budějovice, Czech Republic; e-mail: gryczak@seznam.cz

Martin LINHART, Štolmíř 103, CZ-282 01 Český Brod, Czech Republic; e-mail: duvalius@volny.cz

Josef MAJER, Želnavá 16, CZ-384 51 Volary, Czech Republic; e-mail: majerjozef@seznam.cz

Pavel MORAVEC, Jezuitská 6, CZ-412 01 Litoměřice, Czech Republic; e-mail: pavel.moravec@nature.cz

Květoslav RESL, CZ-687 31 Šumice 299, Czech Republic; e-mail: kvetoslav.resl@tiscali.cz

Petr VESELÝ, Tálínská 1030, CZ-198 00 Praha 9-Kyje, Czech Republic; e-mail: vesely.ptr@tiscali.cz