Published December 28, 2020 Klapalekiana, **56**: 311–314, 2020
ISSN 1210-6100

FAUNISTIC RECORDS FROM THE CZECH REPUBLIC – 501

Coleoptera:

Histeridae

Saprinus caerulescens caerulescens (Hoffmann, 1803). Moravia mer.: Znojmo env., Oleksovice (7063), 250 m a.s.l., 26.vi.2020, 2 spec., P. Vonička (Liberec, Czech Republic) leg. et coll.; same locality and date, 5 spec., J. Vávra leg. et coll.; all spec. collected under dead *Capreolus capreolus* (Linnaeus, 1758) in a meadow on Dvorská hill. All specimens J. Vávra det.

Species distributed in Palaearctic and Afrotropical regions, introduced into Neotropical region (Lackner et al. 2015). In central Europe known from Austria, Czech Republic, Germany, Hungary, Slovakia and Switzerland (Lackner 2015). In the Czech Republic, known from Bohemia and Moravia, but only from old records from a few localities (Fleischer 1927–1930, Labler & Roubal 1933: all as *Saprinus semipunctatus* (Fabricius, 1792)). Confirmed occurrence in the Czech Republic after at least 90 years.

Staphylinidae: Aleocharinae

Atheta (***Philhygra***) ***balcanicola*** Scheerpeltz, 1968. Moravia bor.: Hlučín-Bobrovníky (6175), 30.iv.2012, 1 ♂, at UV-light in a garden, M. Mantič (Hlučín-Bobrovníky, Czech Republic) leg., det. et coll.; Moravia mer.: Rakvice env., Trkmanec-Rybníčky Natural Monument (7167), 14.vi.2019, 2 ♂♂, swept from waterlogged meadow in the evening, J. Vávra leg., det. et coll.

European species also known from the Asian part of Turkey (Schülke & Smetana 2015). In central Europe reported from Austria, Czech Republic, Germany, Hungary and Switzerland (Schülke & Smetana 2015), and also from Slovakia (Benedikt et al. 2015). In the Czech Republic recorded only from Bohemia from a few localities (e.g. Likovský 1973). This species can only be reliably separated from the externally very similar *A*. (*P*.) *elongatula* (Gravenhorst, 1802) on the shape of the aedeagus (see Brundin 1944: as *A*. (*Hygroecia*) *elongatula balcanica*). New species for Moravia.

Atheta (***Philhygra***) ***debiloides*** (A. Strand, 1962). Moravia occ.: Žďárské vrchy Protected Landscape Area, Milovy env., Meandry Svratky u Milov Nature Reserve (6362), 30.v.2019, 4 ♂♂, 1 ♀, in flood debris on alluvial meadow near River Svratka, together with e.g. *Atheta debilis* (Erichson, 1837), *A. fallaciosa* (Sharp, 1869), *A. malleus* Joy, 1913, *Schistoglossa curtipennis* (Sharp, 1869) and *S. gemina* (Erichson, 1837) (all Staphylinidae), J. Vávra leg., det. et coll.

European species known only from Finland, Germany, Norway and Sweden (Schülke & Smetana 2015). Difficult to separate morphologically from the very similar *A. debilis* (Erichson, 1837), the main difference being the different size of the eyes (Strand 1962). New species for the Czech Republic.

Atheta* (*Philhygra*) *fallaciosa (Sharp, 1869). Moravia occ.: Žďárské vrchy Protected Landscape Area, Milovy env., Meandry Svratky u Milov Nature Reserve (6362), 30.v.2019, 1 ♂, in flood debris on alluvial meadow near River Svratka, J. Vávra leg., det. et coll.

Eurosiberian species known in Central Europe from Austria, Czech Republic, Germany, Poland and Switzerland (Schülke & Smetana 2015), and also from Slovakia (Jászay & Boháč 1994, Jászay & Hlaváč 2016). In the Czech Republic, this sphagnicolous species is recorded from only a few localities in southern, western and northern parts of Bohemia (e.g., Smetana 1964, Vonička & Šťastný 2007). New species for Moravia.

Schistoglossa curtipennis (Sharp, 1869). Moravia occ.: Žďárské vrchy Protected Landscape Area, Milovy env., Meandry Svratky u Milov Nature Reserve (6362), 30.v.2019, 1 ♂, in flood debris on alluvial meadow near River Svratka, J. Vávra leg., det. et coll.

European species, widespread in Northern and Central Europe. In Central Europe reported from Austria, Czech Republic, Germany and Poland (Schülke & Smetana 2015), and also from Slovakia (Jászay & Hlaváč 2016). In the Czech Republic, known only from several localities in Bohemia (e.g. Smetana 1964, Likovský 1971, Hamet & Vancl 2016). In Moravia known only from an old record from South Moravia near Dyje river by Eppelsheim (1892: as *Dilacra fleischeri*). Currently, the species *D. fleischeri* Eppelsheim, 1892 is treated as a junior synonym of *Schistoglossa curtipennis* by V. B. Semenov (Assing & Schülke 2007, Schülke & Smetana 2015). Confirmed occurrence in Moravia after at least 130 years.

Dermestidae

Anthrenus polonicus Mroczkowski, 1951. Moravia mer. or.: Veselí nad Moravou (7070), 6.vi.2008, 6 spec., T. Sitek (Ostrava, Czech Republic) leg., det. et coll.; same locality and date, 4 spec., O. Konvička (Zlín, Czech Republic) leg., det. et coll.; same locality and date, 15 spec., J. Vávra leg. et det., J. Háva revid., coll. J. Vávra et J. Háva (Únětice u Prahy, Czech Republic). All specimens collected on the wall of a house in the town square.

European species known from Central Europe from Germany, Hungary, Poland and Slovakia (Háva 2007). New species for the Czech Republic.

Cybocephalidae

Cybocephalus nipponicus Endrödy-Younga, 1971. Moravia mer.: Podyjí National Park, Znojmo env., Popice (7162), 23.ix.2019, 1 spec.; Znojmo env., Načeratický kopec Natural Monument (7162), 25.ix.2019, 10 spec.; all spec. J. Vávra leg., det. et coll., I. Kovář revid. All specimens beaten from branches of *Euonymus europaeus*.

Species distributed in Australian and Eastern Palaearctic regions, introduced into Afrotropical, Oriental and Nearctic regions, and also into Europe (Jelínek & Audisio 2007, Merkl et al. 2017). In Europe known only from France, Hungary and Italy (Lupi 2002, Merkl et al. 2017). New adventive species for the Czech Republic.

Chrysomelidae

Neocrepidodera brevicollis (J. Daniel, 1904). Moravia occ.: Žďárské vrchy Protected Landscape Area, Milovy env., Meandry Svratky u Milov Nature Reserve (6362), 12.viii.2019, 2 ♀♀, swept from *Cirsium* sp. in waterlogged meadow, J. Vávra leg., det. et coll., P. Boža revid.

European species known from Central Europe from Austria, Czech Republic, Germany, Poland, Slovakia and Switzerland (Döberl 2010). In the Czech Republic known only from a few localities in Bohemia (Strejček 1976, Čížek 2006, Damaška & Fiedler 2016, Januš 2016). New species for Moravia.

ACKNOWLEDGEMENTS. My grateful thanks to Ondřej Konvička (Zlín, Czech Republic), Marion Mantič (Hlučín-Bobrovníky, Czech Republic), Pavel Vonička (Liberec, Czech Republic) and Tomáš Sitek (Ostrava, Czech Republic) for providing data, Petr Boža (Olomouc, Czech Republic), Jiří Háva (Únětice u Prahy, Czech Republic) and Ivo Kovář (Zichovec, Czech Republic) for examining the material studied, and Petr Mückstein (Žďárské vrchy Protected Landscape Area, Žďár nad Sázavou, Czech Republic) and Robert Stejskal & Martin Škorpík (Podyjí National Park, Znojmo, Czech Republic) for the cooperation in research. Jan Bezděk (Brno, Czech Republic), Jiří Háva, Josef Jelínek (Praha, Czech Republic), Pavel Krásenský (Chomutov, Czech Republic), Jan Růžička (Praha, Czech Republic) and David Sommer (Praha, Czech Republic) are acknowledged for valuable comments on the manuscript, and Maxwell V. L. Barclay (London, United Kingdom) for revision of English.

ASSING V. & SCHÜLKE M. 2007: Supplemente zur mitteleuropäischen Staphylinidenfauna (Coleoptera, Staphylinidae). III. *Entomologische Blätter* **102**: 1–78.

BENEDIKT S., MANTIČ M. & VÁVRA J. Ch. 2015: Nové a potvrzené druhy drabčíků (Coleoptera: Staphylinidae) pro Slovensko. (New and confirmed species of rove beetles (Coleoptera: Staphylinidae) for Slovakia). *Západočeské Entomologické Listy* **6**: 12–21 (in Czech, English abstract).

BRUNDIN L. 1944: Monographie der palaearktischen Arten der Atheta-Untergattung Hygroecia (Coleoptera, Staphylinidae). *Annalen des Naturhistorischen Museums in Wien* **53 (1942)**: 129–301 + pls. 13–40.

ČÍŽEK P. 2006: *Dřepčíci (Coleoptera: Chrysomelidae: Alticinae)* Česka *a Slovenska.* [*The flea beetles (Coleoptera: Chrysomelidae: Alticinae) of the Czech and Slovak Republics*]. Městské Muzeum Nové Město nad Metují, Nové Město nad Metují, 76 pp. (in Czech).

DAMAŠKA A. & FIEDLER L. 2016: Příspěvek k poznání mandelinek (Coleoptera: Chrysomelidae) vrchu Hůrka – ohrožené xerotermní lokality v Hluboké nad Vltavou. (Contribution to knowledge of leaf beetles (Coleoptera: Chrysomelidae) of the Hůrka hill, an endangered xerothermic locality in Hluboká nad Vltavou (south Bohemia). *Sborník Jihočeského Muzea v Českých Budějovicích, Přírodní Vědy* **56**: 94–104 (in Czech, English abstract).

DÖBERL M. 2010: Family Chrysomelidae Latreille, 1802: subfamily Alticinae Newman, 1835. Pp. 491–563. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea*. Apollo Books, Stenstrup, 924 pp.

EPPELSHEIM E. 1892: Neue Staphylinen der österreichisch-ungarischen Monarchie und der angrenzenden Länder. *Wiener Entomologische Zeitung* **11**: 289–297.

FLEISCHER A. 1927–1930: *Přehled brouků fauny* Československé *republiky*. [*Overview of the beetle fauna of the Czechoslovak Republic*]. Moravské Museum Zemské, Brno, 485 pp. (in Czech).

HAMET A. & VANCL Z. 2016: Katalog brouků (Coleoptera) CHKO Broumovsko. Opravené a doplněné druhé vydání. (Catalogue of the beetles (Coleoptera) of the Broumovsko protected landscape area. Second completed and corrected edition). *Elateridarium* **10 (Supplementum)**: 1–137 (in Czech, English summary).

HÁVA J. 2007: Family Dermestidae Latreille, 1804 (without Thorictinae). Pp. 299–320. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea – Derodontoidea – Bostrichoidea – Lymexyloidea – Cleroidea – Cucujoidea*. Apollo Books, Stenstrup, 935 pp.

JANUŠ J. 2016: Brouci (Coleoptera) chráněné krajinné oblasti a biosférické rezervace Křivoklátsko. (Beetles (Coleoptera) of Křivoklátsko Protected Landscape Area and the Biosphere Reserve). *Západočeské Entomologické Listy* **Supplementum 1**: 1–449 (in Czech, English abstract).

JÁSZAY T. & BOHÁČ J. 1994: Nové a zaujímavé nálezy drobčíkovitých (Coleoptera, Staphylinidae) na Slovensku. (New and interesting finds of Staphylinids (Coleoptera, Staphylinidae) in Slovakia). *Zborník Slovenského Národného Múzea, Prírodné Vedy* **40**: 33–49 (in Slovak, English summary).

JÁSZAY T. & HLAVÁČ P. 2016: Zoznam drobčíkovitých chrobákov Slovenska (Insecta: Coleoptera: Staphylinidae). [Checklist of rove beetles of Slovakia (Insecta: Coleoptera: Staphylinidae)]. *Folia Faunistica Slovaca* **21**: 131–216 (in Slovak, English abstract).

JELÍNEK J. & AUDISIO P. 2007: Family Nitidulidae Latreille, 1802. Pp. 459–491. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea – Derodontoidea – Bostrichoidea – Lymexyloidea – Cleroidea – Cucujoidea.* Apollo Books, Stenstrup, 935 pp.

LABLER K. & ROUBAL J. 1933: *Seznam brouků republiky Československé. Catalogus Coleopterorum Čechoslovakiae. 3. Histeridae. Mršníci. Entomologické příručky XVII*. Československá Společnost Entomologická, Praha, 59 pp. (in Czech, German summary).
LACKNER T. 2015: Icones insectorum Europae centralis. Coleoptera: Sphaeritidae, Histeridae. *Folia Heyrovskyana*, *Series B* **23**: 1–33 (in Czech and English).
LACKNER T., MAZUR S. & NEWTON A. F. 2015: Family Histeridae Gyllenhal, 1808. Pp. 76−130. In: LÖBL I. & LÖBL D. (eds): *Catalogue of Palaearctic Coleoptera. Volume 2/1: Hydrophiloidea – Staphylinoidea. Revised and Updated Edition*. Brill, Leiden & Boston, xxvi + 900 pp.
LIKOVSKÝ Z. 1971: Některé zajímavé druhy aleocharinů z Čech (Coleoptera, Staphylinidae). (Einige interessanten Arten der Aleocharinen von Böhmen (Coleoptera, Staphylinidae)). *Acta Musei Reginaehradecensis, Serie A: Scientiae Naturales* **12**: 105–106 (in Czech, German and Russian summaries).
LIKOVSKÝ Z. 1973: Poznámky k faunistice československých aleocharinů (Coleoptera, Staphylinidae). (Bemerkungen zur Faunistik der tschechoslowakischen Aleocharinen (Coleoptera, Staphylinidae)). *Acta Musei Reginaehradecensis, Serie A: Scientiae Naturales* **14**: 97–100 (in Czech, German and Russian summaries).
LUPI D. 2002: Cybocephalus nipponicus Endrödy-Younga (Coleoptera Cybocephalidae) su Diaspis echinocacti (Bouché) in Liguria. *Bollettino di Zoologia Agraria e di Bachicoltura* **34**: 463–466.
MERKL O., KÁROLYI B. & KORÁNYI D. 2017: First record of Cybocephalus nipponicus in Hungary (Coleoptera: Cybocephalidae). *Folia Entomologica Hungarica* **78**: 71–76.
SCHÜLKE M. & SMETANA A. 2015: Family Staphylinidae Latreille, 1802. Pp. 304–1134. In: LÖBL I. & LÖBL D. (eds): *Catalogue of Palaearctic Coleoptera. Volumes 2/1, 2/2. Hydrophiloidea – Staphylinoidea. Revised and Updated Edition*. Brill, Leiden & Boston, xxvi + 1702 pp.
SMETANA A. 1964: Die Staphylinidenfauna des Moores Hájek (Soos) in Westböhmen (Col., Staphylinidae). (60. Beitrag zur Kenntnis der Staphyliniden). *Acta Faunistica Entomologica Musei Nationalis Pragae* **10**: 41–123.
STRAND A. 1962: Atheta (Philhygra) debiloides n. sp. (Col., Staphylinidae). *Norsk Entomologisk Tidsskrift* **12**: 27–28.
STREJČEK J. 1976: Příspěvek k poznáni fauny brouků čeledí Chrysomelidae a Bruchidae v Československu. (Beitrag zur Kenntnis de Käferfauna der Familien Chrysomelidae und Bruchidae in der Tschechoslowakei). *Zprávy* Československé *Společnosti Entomologické při ČSAV* **12**: 59–67 (in Czech, German summary).
VONIČKA P. & ŠŤASTNÝ J. 2007: Potápníkovití, střevlíkovití a drabčíkovití brouci (Coleoptera: Dytiscidae, Carabidae, Staphylinidae) Národní přírodní rezervace Rašeliniště Jizery v Jizerských horách. (The diving beetles, ground beetles and rove beetles (Coleoptera: Dytiscidae, Carabidae, Staphylinidae) of the Rašeliniště Jizery National Nature Reserve (Jizerské hory Mts., Northern Bohemia)). *Sborník Severočeského Muzea, Přírodní Vědy* **25**: 49–70 (in Czech, English summary).

Jiří Ch. VÁVRA, Ostrava Museum, Lechowiczova 4,
CZ-702 00 Ostrava 1, Czech Republic;
e-mail: jiri.vavra@ostrmuz.cz