

FAUNISTIC RECORDS FROM THE CZECH REPUBLIC – 508

Coleoptera: Scarabaeidae: Rutelinae

Anisoplia (Anisoplia) tempestiva Erichson, 1847. “Moravia” [without date and collector’s name], 1 ♂, D. Král det., coll. National Museum Prague, Czech Republic (NMPC); “Moravia” [without date], 1 ♂, Otokar Nickerl [coll.], D. Král det., coll. NMPC (Fig. 3). Moravia centr., “Prossnitz” [= Prostějov, ca. 49°28’N 17°06’E] (6568), [without date], 1 ♂, V. Zoufal [lgt.], D. Král det., coll. NMPC (Fig. 2). Moravia mer., Mutěnice [ca. 48°54’N 17°01’E] (7068), 7.viii. [19]40, 1 ♂, R. Veselý lgt., D. Král det., coll. NMPC (ex coll. R. Veselý) (Fig. 1).

European species, known so far from France, Italy, Ukraine, the Balkan Peninsula and Central Europe (Zorn & Bezděk 2016). In the countries of Central Europe, relatively rarely recorded. Continuous occurrence is only known in Hungary, based on relatively numerous records (see e.g., Pilleri 1954, Endrődi 1957, Ádám & Hegyessy 1998, Ádám 2003, Enyedi 2006, Enyedi & Ádám 2009). Historical data from Slovakia are summarized by Roubal (1936) and Endrődi (1957). Balthasar (1956) reported this species from east Slovakia (Remetské Hámre [ca. 48°51’N 22°10’E] and Kráľovský Chľmec [ca. 48°25’N 21°58’E]) and Král & Souček (1987) from central Slovakia (Kraskovo [ca. 48°30’N 19°59’E], 1972, 1975). Older data from Switzerland are summarized in Allenspach (1970) and Cosandey et al. (2017). From the territory of the Czech Republic, there were so far only historical data from Moravia. Fleischer (1930) reported “na již[ní]. Mor[avě].; sbíral jsem ho na polích u Dyje [in south Moravia; I collected it in the fields by the river Dyje]” without further data. Considered a regionally extinct species in the Czech Republic (e.g. Juřena & Týr 2008, Král & Bezděk 2017). First precisely dated record for the Czech Republic.

ACKNOWLEDGEMENTS. We would like to thank Jiří Hájek (National Museum Prague, Czech Republic) for allowing access to material housed at his institution. We are obliged to Aleš Bezděk (Institute of Entomology, České Budějovice, Czech Republic) for his comments on the manuscript. The work of David Sommer was supported by an Institutional Research Support grant from Charles University, Prague (No. SVV 260571/2021). The work was created under the heading of the Section for Research of Scarab Beetles of the Czech Entomological Society.

ÁDÁM L. 2003: Békés megye bogárfaunája, VII. Scarabaeoidea (Coleoptera). (The beetle fauna of the county Békés, VII. Scarabaeoidea (Coleoptera)). *Folia Historico Naturalia Musei Matraensis* 27: 137–144 (in Hungarian, English abstract).

ÁDÁM L. & HEGYESSY G. 1998: Adatok a Zempléni-hegység, a Hernád-völgy, a Bodroghöz, a Rétköz és a Taktaköz lemezescsapú bogárfaunájához (Coleoptera: Scarabaeoidea). [Data on Scarabaeoidea (Coleoptera) of Zempléni-hegység, Hernád-völgy, Bodroghöz, Rétköz and Taktaköz]. *Zempléni Táj. Információk Északkelet-Magyarország Természeti Értékeiről* 2: 1–80 (in Hungarian).

ALLENSPACH V. 1970: *Coleoptera Scarabaeidae, Lucanidae. Insecta Helvetica. Catalogus* 2. Imprimerie la Concorde, Lausanne, 186 pp.

BALTHASAR V. 1956: *Brouci listorozi, Lamellicornia. Díl I. Lucanidae – roháčovití, Scarabaeidae – vrubounovití, Pleurosticti. Fauna ČSR* 8. [Scarabs beetles, Lamellicornia. Part I. Lucanidae – stag beetles, Scarabaeidae – scarabs beetles, Pleurosticti. *Fauna ČSR* 8.]. Nakladatelství ČSAV, Praha, 287 pp. (in Czech, German and Russian summaries).

COSANDEY V., CHITTARO Y. & SANCHEZ A. 2017: Liste commentée des Scarabaeoidea (Coleoptera) de Suisse. *Alpine Entomology* 1: 57–90.



Figs 1–3. *Anisoplia tempestiva* Erichson, 1847 and historical locality labels. 1 – ♂, habitus in right lateral view, with label of ♂ collected in 1940; 2 – locality label of ♂ from Prostějov [= Prossnitz] collected by V. Zoufal; 3 – locality label of ♂ from Moravia, probably from the collection of O. Nickerl. All specimens in NMPC; not to scale.

Obr. 1–3. *Anisoplia tempestiva* Erichson, 1847 a historické lokalitní listky. 1 – ♂, postava z boku a lístek k ♂ z roku 1940; 2 – lístek k ♂ z Prostějova [= Prossnitz], kterého sebral V. Zoufal; 3 – lístek k ♂ z Moravy, pravděpodobně ze sbírky O. Nickerla. Všechny materiál je uložen v NMPC; bez měřítka.

- ENDRŐDI S. 1957: A lemezscsápú bogarak (Lamellicornia) kárpátmedencei lelőhelyadatai. [Lamellicornia (Coleoptera) of the Carpathian basin]. *Rovartani Közlemények (Series Nova)* **10**: 145–226 (in Hungarian).
- ENYEDI R. 2006: Contributions to the Scarabaeoidea fauna of Hungary (Coleoptera: Scarabaeoidea). *Folia Historico Naturalia Musei Matraensis* **30**: 215–225.
- ENYEDI R. & ÁDÁM L. 2009: A Mátra Múzeum bogárgyűjteménye, Scarabaeoidea (Coleoptera). (Collection of beetles of the Mátra Museum, Scarabaeoidea (Coleoptera)). *Folia Historico Naturalia Musei Matraensis* **33**: 133–155 (in Hungarian, English abstract).
- FLEISCHER A. 1930: *Přehled brouků fauny Československé republiky*. [Overview of the beetle fauna of the Czechoslovak Republic]. Moravské museum zemské, Brno, 485 pp. (in Czech).

- KRÁL D. & SOUČEK M. 1987: Nové a zajímavé nálezy nadčeledi Scarabaeoidea (Coleoptera) z Československa. (New and interesting finds of the superfamily Scarabaeoidea (Coleoptera) from Czechoslovakia). *Zprávy Československé Společnosti Entomologické při ČSAV* **23**: 17–24 (in Czech, English abstract).
- PILLERI G. 1954: Studien über die Gattung Anisoplia Serv. (Scarabaeidae, Rutelini). Eine neue Rasse aus Thessalien und Beiträge zur geographischen Verbreitung einiger bekannter Anisoplia-Arten. *Eos* **30**: 47–57.
- ROUBAL J. 1936: *Katalog Coleopter (brouků) Slovenska a Podkarpatské Rusi na základě bionomického a zoogeografického a spolu systematického doplněk Ganglbauerových „Die Käfer von Mitteleuropa“ a Reitterovy „Fauna Germanica“*. Díl II. (*Catalogue des Coléoptères de la Slovaquie et de la Russie Subcarpathique d'après les documents et zoogéographiques ainsi que supplément systématique au Ganglbauer „Die Käfer von Mitteleuropa“ et Reitter „Fauna Germanica“*. Tome II.). Učená Společnost Šafaříkova, Bratislava, viii + 434 pp. (in Czech, French title).
- ZORN C. & BEZDĚK A. 2016: Subfamily Rutelinae Macleay, 1819. Pp. 317–358. In: LÖBL I. & LÖBL D. (eds): *Catalogue of Palaearctic Coleoptera. Volume 3. Scarabaeoidea – Scirtoidea – Dascilloidea – Buprestoidea – Byrrhoidea. Revised and Updated Edition*. Brill, Leiden & Boston, 983 pp.

David KRÁL & David SOMMER, Department of Zoology,
Faculty of Science, Charles University, Viničná 7,
CZ-128 43 Praha 2, Czech Republic;
e-mails: kral@natur.cuni.cz; dejv.sommer@gmail.com

