Published December 29, 2021 Klapalekiana, **57**: 317–320, 2021
ISSN 1210-6100

FAUNISTIC RECORDS FROM THE CZECH REPUBLIC – 515

Coleoptera: Staphylinidae:

Aleocharinae

Atheta* (*Philhygra*) *britteni Joy, 1913. Moravia centr., Moravičany env., Doubrava Nature Reserve (6267), 24.iii.2019, 1 ♂, O. Nakládal lgt. et coll., P. Krásenský det.

European species known from Belgium, Estonia, Finland, France, Germany, Great Britain, Latvia, Norway, Russian North European Territory, and Sweden (Schülke & Smetana 2015). New species for the Czech Republic.

Atheta* (*Microdota*) *excisa (Eppelsheim, 1883). Bohemia bor. occ., Kostomlaty pod Milešovkou env., Březina Nature Reserve (5449), 23.v.2021, 1 ♀, P. Krásenský lgt., det. et coll.

Species distributed in southern, south-eastern and central Europe, known only from Austria, Bosnia and Herzegovina, Croatia, Czech Republic, Germany, Hungary, Italy, Romania, and Slovakia (Schülke & Smetana 2015). In the Czech Republic from Bohemia, only very old records from Příbram (Fleischer 1927–1930) and the environs of Praha (Krása 1933). Confirmed occurrence in the Czech Republic after almost 90 years.

Bellatheta* (*Bellatheta*) *fatrica (Roubal, 1928). Bohemia bor. occ.: Krušné hory Mts., Hora Svatého Šebestiána (5445), 24.xi.2012, 1 ♂; same locality, 29.iii.2014, 1 ♀. Both specimens collected in old grass on waterlogged meadow, P. Krásenský lgt., det. et coll., P. Štourač revid.

Species distributed in southern and central Europe, according to Schülke & Smetana (2015) known from Austria, Bosnia and Herzegovina, Czech Republic, Germany, Italy, and Slovakia. In the Czech Republic, only one record was known (Vogel 2007) from 1975, from the Krušné hory Mts. Confirmed occurrence in the Czech Republic after more than 40 years.

Maurachelia pilosicollis (Bernhauer, 1902). Bohemia bor. occ., Vysoká Pec env., Jezerka National Nature Reserve (5546), 27.vi.2002, 1 ♂, in sawdust near a beech (*Fagus sylvatica*) stump, P. Krásenský lgt. et coll., P. Štourač det.

Very rare species known only from Austria, Czech Republic, Germany, Italy, Poland, Slovakia, and Ukraine (Schülke & Smetana 2015). In the Czech Republic only old records from the Moravian-Silesian region (Wanka 1915) and Kralický Sněžník Mts. (Roubal 1947). Confirmed occurrence in the Czech Republic after more than 70 years.

Paederinae

Scopaeus* (*Scopaeus*) *debilis Hochhuth, 1851. Bohemia bor. occ.: Vršovice env., Velký vrch hill (5649), 28.vii.2020, 3 ♀♀, at light on steppe, P. Moravec lgt., det. et coll.; same locality, 28.vii.2020, 1 ♀, at UV-light trap in the oak forest, P. Moravec & M. Žemlička lgt., P. Moravec det. et coll.; Bohemia centr.: Velký Osek env., Libický luh National Nature

Reserve (5857), 7.vii.2019, 1 ♀, by sifting, L. Ernest lgt., P. Krásenský det. et coll.; Praha-Císařský ostrov island (5852), 12.viii.2020, 1 ♀, at UV-light trap, P. Veselý lgt., P. Moravec det. et coll.; Bohemia or.: Kladruby nad Labem-V Mošnicích (5958), 24.vii.2019, 17 ♂♂, at light trap, M. Boukal lgt., K. Rébl det., coll. K. Rébl & M. Boukal (Pardubice); Pardubice env., Stéblová (5960), 25.vii.2019, 12 ♂♂, at light trap, M. Boukal lgt., K. Rébl det. et coll.

Western Palaearctic species widely distributed in the Mediterranean region and in the Middle East, reaching Afghanistan (Frisch 1999). In central Europe known from Austria, Czech Republic, Hungary, and Switzerland (Schülke & Smetana 2015), and also from Slovakia (Jászay & Boháč 1994). In the Czech Republic reported from Bohemia as dubious (Boháč 1993a, Boháč et al. 2007); from Moravia recorded from a few localities in southern and northern parts (e.g., Fleischer 1927–1930, Boháč 1985, Štourač 2006). Confirmed occurrence in Bohemia.

Scymbalium anale (Nordmann, 1837). Bohemia bor. occ.: Louny env., Lužerady (5648), 17.iv.–7.vii.2020, 3 spec.; same locality, 22.x.2020–23.ii.2021, 1 spec. All specimens collected in deep soil traps, P. Veselý & P. Moravec lgt., P. Moravec det. et coll.

Species distributed in southern, south-eastern and central Europe, north Africa (Algeria) and west Asia (Middle East), reaching Turkmenistan, and Kazakhstan in the east (Assing 2013). In central Europe known from Austria, Hungary, Poland, Slovakia, and Switzerland (Schülke & Smetana 2015). New species for the Czech Republic.

Staphylininae

Quedius* (*Quedius*) *meridiocarpathicus Smetana, 1958. Moravia mer., Sedlec env., Slanisko u Nesytu National Nature Reserve (7266), 9.–30.ix.2017, 1 ♂, in pitfall trap on salt marsh, M. Linhart lgt., P. Moravec det. et coll.

Species known from southern, south-eastern and central Europe, and south-western Asia (Schülke & Smetana 2015). In central Europe reported from Austria, Hungary, and Slovakia (Schülke & Smetana 2015). New species for the Czech Republic.

Tachyporinae

Lamprinus erythropterus (Panzer, 1796). Bohemia centr.: Milovice env., Mladá National Nature Monument (5755), 50°14′24″N, 14°54′00″E, 200 m a.s.l., 22.xi.2020, 1 ♀, by sifting under heather (*Calluna vulgaris*), P. Vonička lgt., det. et coll.; same locality, 15.v.–12.vi.2021, 1 ♂, in pitfall trap on steppe, P. Moravec & P. Vonička lgt., P. Moravec det. et coll.

West Palaearctic species reported in central Europe from Austria, Czech Republic, Germany, Hungary, Poland, Slovakia, and Switzerland (Schülke & Smetana 2015). In the Czech Republic known only from Bohemia (Boháč 1993b, Boháč et al. 2007). Records from central Bohemia (Liblice, Poříčany, Praha-Závist, Vrané nad Vltavou) are more than 100 years old (Lokay 1905, Rambousek 1907, Krása 1911–1913). The last published records are from eastern Bohemia: Hradec Králové from 1938 (Roubal 1949). Confirmed occurrence in the Czech Republic after more than 80 years.

Bolitobius castaneus boreomontanicus Schülke, 2010. Moravia bor.: Hrubý Jeseník Mts., Praděd National Nature Reserve (5969), 1300 m a.s.l., 7.v.2007, 1 spec., under stone near hiking trail in Velký kotel valley, J. Vávra lgt., det. et coll.; Hrubý Jeseník Mts., Břidličná

Nature Reserve – Jelení hřbet Mt. (5969), 50°02′26.63″N, 17°12′15.60″E, 1340 m a.s.l., 29.v.2018, 1 spec., sweeping grass vegetation; same locality, 50°02′24.63″N, 17°11′59.77″E, 1360 m a.s.l., 7.vi.–16.vii.2018, 1 spec., in pitfall trap, both specimens O. Sabol lgt. et coll., M. Mantič det.

The nominotypical subspecies *Bolitobius castaneus castaneus* (Stephens, 1832) occurs in western, central and southern Europe (outside the high mountains), in lowland areas of Scandinavia, and in the Near East, with one record also known from North Africa: Algeria (Schülke 2010). *Bolitobius castaneus boreomontanicus* is known from all of Europe, the Asian part of Turkey, the Caucasus, and West Siberia (Schülke 2010, Schülke & Smetana 2015). In central Europe it is reported from Austria, Czech Republic, Germany, Poland, Slovakia, and Switzerland (Schülke 2010, Schülke & Smetana 2015). In the Czech Republic, recorded from Bohemia and Moravia, but only from old records from a few localities by Schülke (2010), the last record was from 1946. Confirmed occurrence in the Czech Republic after more than 60 years.

ACKNOWLEDGEMENTS: We would like to thank Milan Boukal (Pardubice, Czech Republic), Ladislav Ernest (Poděbrady, Czech Republic), Martin Linhart (Oleksovice, Czech Republic), Marion Mantič (Hlučín-Bobrovníky, Czech republic), Petr Šťourač †, Petr Veselý (Praha, Czech Republic) and Miroslav Žemlička (Ústí nad Labem, Czech Republic) for providing the material. Maxwell V. L. Barclay (London, U.K.) is thanked for language corrections.

ASSING V. 2013: On the Palaearctic and Oriental species of Scymbalium and Micrillus (Coleoptera: Staphylinidae: Paederinae). *Linzer Biologische Beiträge* **45**: 1479–1520.

BOHÁČ J. 1985: Review of the subfamily Paederinae (Coleoptera, Staphylinidae) of the Czechoslovakia. Part II. *Acta Entomologica Bohemoslovaca* **82**: 431–467.

BOHÁČ J. 1993a: Staphylinidae: Paederinae. Pp. 45–47. In: JELÍNEK J. (ed.): Check-list of Czechoslovak Insects IV (Coleoptera). Seznam československých brouků. *Folia Heyrovskyana* **Supplementum 1**: 3–172.

BOHÁČ J. 1993b: Staphylinidae: Tachyporinae. Pp. 50–52. In: JELÍNEK J. (ed.): Check-list of Czechoslovak Insects IV (Coleoptera). Seznam československých brouků. *Folia Heyrovskyana* **Supplementum 1**: 3–172.

BOHÁČ J., MATĚJÍČEK J. & ROUS R. 2007: Check-list of staphylinid beetles (Coleoptera, Staphylinidae) of the Czech Republic and the division of species according to their ecological characteristics and sensitivity to human influence. *Časopis Slezského Zemského Muzea*, *Série A: Vědy Přírodní* **56**: 227–276.

FLEISCHER A. 1927–1930: *Přehled brouků fauny Československé republiky*. [*Overview of the beetle fauna of the Czechoslovak Republic*]. Moravské Museum Zemské, Brno, 485 pp. (in Czech).

FRISCH J. 1999: A revision of the Scopaeus debilis species group, with description of a new species from Madagascar (Coleoptera, Staphylinidae, Paederinae). *Revue Suisse de Zoologie* **106**: 361–383.

JÁSZAY T. & BOHÁČ J. 1994: Nové a zaujímavé nálezy drobčíkovitých (Coleoptera, Staphylinidae) na Slovensku. (New and interesting finds of Staphylinids (Coleoptera, Staphylinidae) in Slovakia). *Zborník Slovenského Národného Múzea, Prírodné Vedy* **40**: 33–49 (in Slovak, English summary).

KRÁSA T. 1911–1913: Myrmekofilní fauna broučí okolí Vraného n. Vltavou. [Fauna of myrmecophilous beetles in the environs of Vrané nad Vltavou]. *Příroda* **10 (6)**: 210–214 (in Czech).

KRÁSA T. 1933: Biologické poznámky k některým vzácným druhům české broučí fauny. [Biological notes on some rare species of the Czech beetle fauna]. *Časopis Československé Společnosti Entomologické* **30**: 37–38 (in Czech).

LOKAY E. 1905: Coleoptera myrmecophila bohemica. *Časopis České Společnosti Entomologické* **2**: 33–50 (in Czech, German summary).

RAMBOUSEK J. 1907: Dodatky k seznamům českých myrmecophilů. [Additions to the lists of Bohemian myrmecophiles]. *Časopis České Společnosti Entomologické* **4**: 135–137 (in Czech).

ROUBAL J. 1947: Novinky fauny českých Coleopter. 47. příspěvek. (Coleoptera nova faunae bohemicae. Pars 47). *Časopis Československé Společnosti Entomologické* **44**: 130–132 (in Czech, Latin title).

ROUBAL J. 1949: Rozšíření broučích myrmekofilů v sv. Čechách a bibliografie literatury o českých myrmekofilních broucích. (Catalogue of the myrmecophilous Coleoptera in North-East Bohemia, with bibliography and notes of bohemians myrmecophilous Coleoptera). *Časopis Československé Společnosti Entomologické* **46**: 157–165 (in Czech, English title).

SCHÜLKE M. 2010: Zur Verbreitung und subspezifischen Gliederung von Bolitobius castaneus (Stephens, 1832) (Coleoptera, Staphylinidae, Tachyporinae). *Linzer Biologische Beiträge* **42**: 1461–1480.
SCHÜLKE M. & SMETANA A. 2015: Family Staphylinidae Latreille, 1802. Pp. 304–1134. In: LÖBL I. & LÖBL D. (eds): *Catalogue of Palaearctic Coleoptera. Volumes 2/1*, *2/2*: *Hydrophiloidea – Staphylinoidea. Revised and Updated Edition*. Brill, Leiden & Boston, xxvi + 1702 pp.
ŠTOURAČ P. 2006: Faunistic records from the Czech Republic – 205. Coleoptera: Staphylinidae: Oxytelinae: Oxytelini, Paederinae, Aleocharinae: Pronomaeini, Oxypodini. *Klapalekiana* **42**: 193–194.
VOGEL J. 2007: Bellatheta fatrica (Roubal, 1928) – ein Erstnachweis für Deutschland mit Bemerkungen zu Synonymen (Coleoptera, Staphylinidae). *Entomologische Blätter* **102**: 101–105.
WANKA T. 1915: Beitrag zur Coleopterenfauna von Österr.-Schlesien. *Wiener Entomologische Zeitung* **34**: 199–214.

Pavel KRÁSENSKÝ, Regional Museum and Gallery in Most, Čsl. armády 1360,
CZ-434 01 Most, Czech Republic;
e-mail: krasensky.pavel@volny.cz

Pavel MORAVEC, Jezuitská 6, CZ-412 01 Litoměřice, Czech Republic;
e-mail: pavel.moravec@nature.cz

Oto NAKLÁDAL, Department of Forest Protection and Entomology,
Faculty of Forestry and Wood Sciences, Czech University of Life Sciences Prague,
CZ-165 00 Praha-Suchdol, Czech Republic;
e-mail: nakladal@fld.czu.cz

Karel RÉBL, Žižkovo náměstí 976, CZ-271 01 Nové Strašecí, Czech Republic;
e-mail: k.rebl@seznam.cz

Ondřej SABOL, Foksova 226/19, CZ-724 00 Ostrava-Nová Bělá, Czech Republic;
e-mail: ondrej.sabol@seznam.cz

Pavel VONIČKA, North Bohemian Museum in Liberec, Masarykova 11,
CZ-460 01 Liberec, Czech Republic;
e-mail: pavel.vonicka@muzeumlb.cz

Jiří Ch. VÁVRA, Ostrava Museum, Lechowiczova 4,
CZ-702 00 Ostrava 1, Czech Republic;
e-mail: jiri.vavra@ostrmuz.cz