Klapalekiana, **29**: 168, 1993
ISSN 1210-6100

FAUNISTIC RECORDS FROM THE CZECH REPUBLIC - 8

Diptera: Chironomidae

Campocladius stercorarius (De Geer, 1781). Bohemia mer.,České Budějovice (7052), garden compost, emerged from soil, 30. iii. 1992, 25 ♂♂, leg. J. Matěna, det. et coll. J. Frouz. The species is known from North America, north and central Europe (Strenzke 1950). In former Czechoslovakia was recorded from Predňanská dolina valley - Slovakia (Bitušík 1988). New species for the Czech Republic.

Limnophyes minimus (Meigen, 1818). Bohemia mer., Nečisto, pond near Tábor (6654), alder (*Alnus glutinosa*) wood, emerged from soil, 3. v. 1992, 2 ♂♂, lgt., det. et coll. J. Frouz. The species with almost cosmopolitan distribution (Europe, North America, Africa, subantarctic islands) (Saether 1985). In former Czechoslovakia was recorded from Slovakia (Lellák & Losos 1987) as syn. *Limnophyes pusilus* Eaton, 1875. New species for the Czech Republic.

Paraphenocladius impensus (Walker, 1875). Bohemia mer., Nečisto, pond near Tábor (6654), pond bank, emerged from soil, 3. v. 1992, 2 ♂♂, lgt., det. et coll. J. Frouz. The species is known from Europe and north Africa. New species for the Czech Republic.

Pseudorhocladius curtistylus (Goethebuer, 1921). Moravia bor., Jeseníky Mts, Velká kotlina valley (5969) emerged from wet mosses, 25. vi. 1992, 1 ♂, lgt., det. et coll. J. Frouz. The species is known from Germany, Netherlands (Strenzke 1950). In former Czechoslovakia was recorded from Predňanska kotlina valley - Slovakia (Bitušík 1988). New species for the Czech Republic.

BITUŠÍK P. 1988: *Biológia (Bratislava)*, 43: 131-140. - LELLÁK J. & LOSOS B. 1987: *Acta Faun. Entomol. Mus. Nat. Pragae*, 18: 41-47. - SAETHER O.A. 1985: *Entomol. Scand. (Suppl.)*, 35: 1-135. - STRENZKE K. 1950: *Arch. Hydrobiol. (Suppl.)*, 17: 678-691.

Jan FROUZ, Institute of Soil Biology,
Na sádkách 7, CZ-370 11, České Budějovice, Czech Republic